

Subject Index

A

Abdominal injuries

Delayed presentation of traumatic aortocaval fistula: a report of two cases and a review of the associated compensatory hemodynamic and structural changes (Spencer et al). 2006;43:836-40 (Case rep.)

Abstracts

Abstracts. 2006;43:196-8, 426-7, 639-40, 866-7, 1076-7

Acrylic cement; *see* Polymethyl methacrylate

Activities of daily living

Obesity, weight change, and functional decline in peripheral arterial disease (McDermott et al). 2006;43:2170-6

Adrenergic beta-antagonists

Perioperative β -blocker therapy in vascular surgery: clinical update (Hackam). 2006;43:632-4

African Americans

Detection of carotid stenosis in African Americans with ischemic heart disease (Rajamani et al). 2006;43:2149-52

Aged

Carotid artery stenting in octogenarians is associated with increased adverse outcomes (Stanziale et al). 2006;43:297-304

Age factors

Age stratified, perioperative, and one-year mortality after abdominal aortic aneurysm repair: a statewide experience (Rigberg et al). 2006;43:224-9

Alprostadil

Parenteral therapy with lipo-ecraprost, a lipid-based formulation of a PGE1 analog, does not alter six-month outcomes in patients with critical leg ischemia (Brass et al). 2006;43:752-9

Amputation

Parenteral therapy with lipo-ecraprost, a lipid-based formulation of a PGE1 analog, does not alter six-month outcomes in patients with critical leg ischemia (Brass et al). 2006;43:752-9

Anaphylaxis

Anaphylactoid reactions to Dextran 40 and 70: reports to the United States Food and Drug Administration, 1969 to 2004 (Zinderman et al). 2006;43:1004-9

Anastomosis, surgical

The meandering mesenteric artery or central anastomotic artery (Connolly). 2006;43:1059

Reduction of myointimal hyperplasia after arterial anastomosis by local injection of transforming growth factor β 3 (Ghosh et al). 2006;43:142-9

Aneurysm

Acute compartment syndrome: an unusual complication of a previously bypassed popliteal aneurysm—case report and literature review (Batt et al). 2006;43:1049-52 (Case rep.)

Carotid artery aneurysm: evolution of management over two decades (Zhou et al); (Naylor) (Commentary). 2006;43:493-7

Extracranial carotid aneurysm in Behçet disease: report of two new cases (Bouarhroum et al). 2006;43:627-30 (Case rep.)

Large hepatic artery aneurysm with portal vein fistula (Stanziale et al). 2006;43:631

Popliteal artery aneurysm associated with Klippel-Trénaunay syndrome: case report and literature review (Akagi et al). 2006;43:1287-9 (Case rep.)

The posterior approach for repair of popliteal artery aneurysms (Beseth and Moore). 2006;43:940-5

Reconstructive surgery for segmental arterial mediolysis involving both the internal carotid artery and visceral arteries (Obara et al). 2006;43:623-6 (Case rep.)

Regarding "Giant splenic artery aneurysms: case report and review of the literature" (Hernández-Lahoz and Garcia-Casas) (Letter); (Pescarus et al) (Reply). 2006;43:641

Size of normal and aneurysmal popliteal arteries: a duplex ultrasound study (Wolf et al). 2006;43:488-92

Surgical management of popliteal artery aneurysms: which factors affect outcomes? (Pulli et al). 2006;43:481-7

Aneurysm, dissecting

Aortic dissection: perspectives in the era of stent-graft repair (Atkins et al). 2006;43:A30-43

Endograft exclusion of acute and chronic descending thoracic aortic dissections (Song et al). 2006;43:247-58

Endovascular repair of acute type B aortic dissection: early and mid-term results (Xu et al). 2006;43:2091-6

Aneurysm, false

Endovascular management of hepatic artery pseudoaneurysm hemorrhage complicating pancreaticoduodenectomy (Harvey et al). 2006;43:613-17 (Case rep.)

Endovascular treatment of an abdominal aortic pseudoaneurysm as a late complication of an inferior vena cava filter placement (Medina et al). 2006;43:1278-82 (Case rep.)

Evaluation of risk factors associated with femoral pseudoaneurysms after cardiac catheterization (Ates et al). 2006;43:520-4

Infected carotid pseudoaneurysm and carotid-cutaneous fistula as a late complication of carotid artery stenting (Kaviani et al). 2006;43:379-82 (Case rep.)

Reducing duplex examinations in patients with iatrogenic pseudoaneurysms (Stone et al). 2006;43:1211-5

Thrombin injection of a pancreaticoduodenal artery pseudoaneurysm after failed attempts at transcatheter embolization (Ghassemi et al). 2006;43:618-22 (Case rep.)

Aneurysm, infected

Pneumococcal aortitis: a difficult preoperative diagnosis (Teng et al). 2006;43:177-9 (Case rep.)

Angiography

Contrast-enhanced Duplex surveillance after endovascular abdominal aortic aneurysm repair: improved efficacy using a continuous infusion technique (Henao et al); (Forbes) (Commentary). 2006;43:259-64

Endovascular management of thoracic aortic aneurysms. Preoperative imaging and device sizing (Kougias et al). 2006;43:A48-52

Screening and ultrasound surveillance of large aortic abdominal aneurysms do not improve suitability for endovascular repair (Thompson et al); (van der Vliet and Blankensteijn) (Commentary). 2006;43:265-9

Angioplasty

Analysis of parameters associated with hypotension requiring vasopressor support after carotid angioplasty and stenting (Trocciola et al). 2006;43:714-20

Cerebral ischemia associated with PercuSurge balloon occlusion balloon during carotid stenting: incidence and possible mechanisms (Chaer et al). 2006;43:946-52

True lumen re-entry devices facilitate subintimal angioplasty and stenting of total chronic occlusions: initial report (Jacobs et al); (Gloviczki) (Commentary). 2006;43:1297-8

Two-year outcome with preferential use of infrainguinal angio-

- plasty for critical ischemia (Haider et al). 2006;43:504-12, 504.e1-e11
- Utility of left subclavian artery revascularization in association with endoluminal repair of acute and chronic thoracic aortic pathology (Peterson et al). 2006;43:433-9
- Angioplasty, balloon**
- The constitutive procoagulant and hypofibrinolytic state in patients with intermittent claudication due to infrainguinal disease significantly improves with percutaneous transluminal balloon angioplasty (Hobbs et al). 2006;43:40-6
- Endovascular management of iliac artery occlusions: extending treatment to TransAtlantic Inter-Society Consensus class C and D patients (Leville et al). 2006;43:32-9
- Management of in-stent restenosis after carotid artery stenting in high-risk patients (Zhou et al). 2006;43:305-12
- Percutaneous angioplasty of the superior gluteal artery for buttock claudication: a report of seven cases and literature review (Batt et al). 2006;43:987-91
- Regarding "Limb-salvage angioplasty in vascular surgery practice" (Parakh et al) (Letter); (Tefera) (Reply). 2006;43:199
- Results of percutaneous subintimal angioplasty using routine stenting (Treiman et al). 2006;43:513-19
- Role of adhesion molecules in the induction of restenosis after angioplasty in the lower limb (Heider et al); (Conte) (Commentary). 2006;43:969-77
- Successful percutaneous treatment of gluteal claudication secondary to isolated bilateral hypogastric stenoses (Chaer et al). 2006;43:165-8 (Case rep.)
- Anticoagulants**
- Hemodynamic and morphologic evaluation of sequelae of primary upper extremity deep venous thromboses treated with anticoagulation (Persson et al); (Walsh) (Commentary). 2006;43:1230-6
- Antigens, CD**
- Reconstitution of CD39 in liposomes amplifies nucleoside triphosphate diphosphohydrolase activity and restores thromboregulatory properties (Haller et al). 2006;43:816-23
- Aorta**
- Internal thoracic artery-inferior epigastric artery as a collateral pathway in aortoiliac occlusive disease (Yurdakul et al). 2006;43:707-13
- The wrapping method using biodegradable felt strips has a preventive effect on the thinning of the aortic wall: experimental study in the canine aorta (Fujiwara et al). 2006;43:349-56
- Aorta, abdominal**
- Cold spinoplegia and transvertebral cooling pad reduce spinal cord injury during thoracoabdominal aortic surgery (Isaka et al). 2006;43:1257-62
- Increased psychiatric morbidity after abdominal aortic surgery: risk factors for stress-related disorders (Liberzon et al). 2006;43:929-34
- Intraprocedural imaging: thoracic aortography techniques, intravascular ultrasound, and special equipment (White et al). 2006;43:A53-61
- Oxygen-radical regulation of renal blood flow following supraceliac aortic clamping (Myers et al). 2006;43:577-86
- Surgery of the abdominal aorta and its branches in children: late follow-up (Barral et al). 2006;43:1138-44
- Aorta, thoracic**
- Aortic dissection: perspectives in the era of stent-graft repair (Atkins et al). 2006;43:A30-43
- Aortic neck morphology after endovascular repair of descending thoracic aortic aneurysms (Hassoun et al). 2006;43:26-31
- Clinical competence statement on thoracic endovascular aortic repair (TEVAR)—multispecialty consensus recommendations (SVS/SIR/SCAI/SVMB Writing Committee). 2006;43:858-62
- Cold spinoplegia and transvertebral cooling pad reduce spinal cord injury during thoracoabdominal aortic surgery (Isaka et al). 2006;43:1257-62
- Early outcomes after elective and emergent endovascular repair of the thoracic aorta (Iyer et al). 2006;43:677-83
- Endovascular management of traumatic ruptures of the thoracic aorta: a retrospective multicenter analysis of 28 cases in The Netherlands (Hoornweg et al); (Krasznai and Blankensteijn) (Commentary). 2006;43:1096-102
- Endovascular repair of proximal endograft collapse after treatment for thoracic aortic disease (Steinbauer et al). 2006;43:609-12 (Case rep.)
- Endovascular treatment of traumatic thoracic aortic injury—should this be the new standard of treatment? (Lin et al). 2006;43:A22-9
- Intraprocedural imaging: thoracic aortography techniques, intravascular ultrasound, and special equipment (White et al). 2006;43:A53-61
- Successful repair of blunt injury of aortic arch branches in the setting of bovine arch (Al-khaldi and Robbins). 2006;43:396-8 (Case rep.)
- Symptomatic collapse of a thoracic aorta endoprosthesis (Mestres et al). 2006;43:2243-6 (Case rep.)
- Timing of endovascular repair of blunt traumatic thoracic aortic transections (Reed et al). 2006;43:684-8
- Utility of left subclavian artery revascularization in association with endoluminal repair of acute and chronic thoracic aortic pathology (Peterson et al). 2006;43:433-9
- Vocal cord paralysis after aortic arch surgery: predictors and clinical outcome (Ohta et al). 2006;43:721-8
- Aortic aneurysm**
- Activated protein C/protein C inhibitor complex: a new biological marker for aortic aneurysms (Kölbel et al). 2006;43:935-9
- Aortic dissection: perspectives in the era of stent-graft repair (Atkins et al). 2006;43:A30-43
- Aortic endograft infection due to *Pasteurella multocida* following a rabbit bite (Silberfein et al). 2006;43:393-5 (Case rep.)
- Concomitant unilateral internal iliac artery embolization and endovascular infrarenal aortic aneurysm repair (Lee et al). 2006;43:903-7
- Endovascular repair of acute type B aortic dissection: early and mid-term results (Xu et al). 2006;43:1090-5
- A new technique for hypogastric artery embolization (Linares-Palomino et al); (Baxter) (Commentary). 2006;43:1064-9 (Tech. Note)
- Regarding "Evidence for early nasogastric tube removal after infrarenal aortic surgery: a randomized trial" (Walsh et al) (Letter); (Gouëffic and Rozec) (Reply). 2006;43:645-6
- Totally percutaneous aortic aneurysm repair: experience and prudence (Starnes et al). 2006;43:270-6
- Aortic aneurysm, abdominal**
- Abdominal aortic aneurysm sac shrinkage after endovascular aneurysm repair: correlation with chronic sac pressure man-

- agement (Ellozy et al). 2006;43:2-7. Correction 2006;43:647
- Activated coagulation during open and endovascular abdominal aortic aneurysm repair (Englberger et al). 2006;43:2115
- Acute renal failure after endovascular vs open repair of abdominal aortic aneurysm (Wald et al); (Hansen) (Commentary). 2006;43:460-6, 460.e1-e9
- Adjunctive primary stenting of Zenith endograft limbs during endovascular abdominal aortic aneurysm repair: implications for limb patency (Sivamurthy et al). 2006;43:662-70
- Age stratified, perioperative, and one-year mortality after abdominal aortic aneurysm repair: a statewide experience (Rigberg et al). 2006;43:224-9
- Aortoduodenal syndrome (Takagi et al). 2006;43:851
- Are type II endoleaks after endovascular aneurysm repair endograft dependent? (Sheehan et al). 2006;43:657-61
- Beyond the aortic bifurcation: branched endovascular grafts for thoracoabdominal and aortoiliac aneurysms (Greenberg et al); (Fillinger) (Commentary). 2006;43:879-87
- Biomechanical properties of ruptured versus electively repaired abdominal aortic aneurysm wall tissue (Di Martino et al); (Henke) (Commentary). 2006;43:570-6
- Complex thoracoabdominal aortic aneurysms: endovascular exclusion with visceral revascularization (Black et al); (Quinones-Baldrich) (Commentary). 2006;43:1081-8
- Consistency in endovascular aneurysm repair suitability assessment requires group decision audit (Rödel et al). 2006;43:671-6
- Contrast-enhanced Duplex surveillance after endovascular abdominal aortic aneurysm repair: improved efficacy using a continuous infusion technique (Henaö et al); (Forbes) (Commentary). 2006;43:259-64
- Cost-effectiveness of screening women for abdominal aortic aneurysm (Wanhainen et al); (Kent) (Commentary). 2006;43:908-14
- A decade of change in abdominal aortic aneurysm repair in the United States: have we improved outcomes equally between men and women? (Dillavou et al); (Lindsay) (Commentary). 2006;43:230-8
- Decreased wall shear stress in the common carotid artery of patients with peripheral arterial disease or abdominal aortic aneurysm: relation to blood rheology, vascular risk factors, and intima-media thickness (Spring et al); (Hiatt) (Commentary). 2006;43:56-63
- The development of endotension is associated with increased transmission of pressure and serous components in porous expanded polytetrafluoroethylene stent-grafts: characterization using a canine model (Trocciola et al). 2006;43:109-16
- Endograft treatment of ruptured abdominal aortic aneurysms using the Talent aortouniliac system: an international multicenter study (Peppelenbosch et al); (Commentary). 2006;43:1111-23
- Endovascular aneurysm repair with suprarenal vs infrarenal fixation: a study of renal effects (Parmer and Carpenter). 2006;43:19-25, 19.e1-e9
- Endovascular treatment of an abdominal aortic pseudoaneurysm as a late complication of an inferior vena cava filter placement (Medina et al). 2006;43:2251 (Case rep.)
- Evaluation of the complexity of open abdominal aneurysm repair in the era of endovascular stent grafting (Costin et al). 2006;43:915-20
- Factors affecting outcomes of open surgical repair of pararenal aortic aneurysms: a 10-year experience (West et al). 2006;43:921-8, 921.e1-e8
- Factors predictive of early or late aneurysm sac size change following endovascular repair (Fairman et al). 2006;43:649-56
- Glomerular filtration rate is a predictor of mortality after endovascular abdominal aortic aneurysm repair (Azizzadeh et al). 2006;43:14-18
- The importance of iliac fixation in prevention of stent graft migration (Heikkinen et al); (Chuter) (Commentary). 2006;43:2116-24
- Improving aneurysm-related outcomes: nationwide benefits of endovascular repair (Dillavou et al). 2006;43:446-52
- Increased psychiatric morbidity after abdominal aortic surgery: risk factors for stress-related disorders (Liberzon et al). 2006;43:929-34
- Laparoscopy-assisted abdominal aortic aneurysm repair: early and middle-term results of a consecutive series of 122 cases (Ferrari et al). 2006;43:695-700
- Late reintervention for aortic graft-related events and new aortoiliac disease after open abdominal aortic aneurysm repair in an Australian population (Adam et al); (Naylor) (Commentary). 2006;43:701-6
- Long-term outcome after talent endograft implantation for aneurysms of the abdominal aorta: a multicenter retrospective study (Torsello et al); (Buth) (Commentary). 2006;43:277-84
- Optimal prediction of mortality after abdominal aortic aneurysm repair with statistical models (Hadjianastassiou et al). 2006;43:467-73, 467.e1-e10. Correction 2006;43:877
- Outcomes of accessory renal artery occlusion during endovascular aneurysm repair (Karmacharya et al). 2006;43:8-13
- Outcomes of endovascular treatment of ruptured abdominal aortic aneurysms (Greco et al). 2006;43:453-9, 453.e1-e8
- Percutaneous balloon occlusion of the inferior vena cava as an adjunct for treating ruptured type IV thoracoabdominal aneurysm and aortocaval fistula (Espinell et al). 2006;43:834-5 (Case rep.)
- Percutaneous techniques for aneurysm repair (Morasch). 2006;43:A69-72
- Prevention of renal failure in patients undergoing thoracoabdominal aortic aneurysm repair (Jacobs et al). 2004;40:1067-73. Correction 2006;43:429
- Progressive growth of a pelvic collection five years after endovascular aneurysm repair: an atypical presentation of an asymptomatic contained rupture (Bladt et al). 2006;43:172-6 (Case rep.)
- Reduced lung function in patients with abdominal aortic aneurysm is associated with activation of inflammation and hemostasis, not smoking or cardiovascular disease (Fowkes et al). 2006;43:474-80
- Regarding "eNOS G894T polymorphism as a mild predisposing factor for abdominal aortic aneurysm" (Sandrim). 2006;43:1079 (Letter)
- Regarding "Lifeline registry of endovascular aneurysm repair: long-term primary outcome measures" (Manning) (Letter); (Zarins) (Reply). 2006;43:199-200
- Regarding "Midterm outcome of endovascular repair of ruptured abdominal aortic aneurysms (Metcalfe). 2006;43:1079 (Letter)
- Regarding "Prevention of renal failure in patients undergoing thoracoabdominal aortic aneurysm repair" (Jacobs et al)

- (Letter); (Cronenwett and Seeger) (Reply). 2006;43:428-9
- Replanting the inferior mesentery artery during infrarenal aortic aneurysm repair: influence on postoperative colon ischemia (Senekowitsch et al). 2006;43:689-94
- Sac enlargement due to seroma after endovascular abdominal aortic aneurysm repair with the Endologix PowerLink device (Nano et al). 2006;43:169-71 (Case rep.)
- Screening and ultrasound surveillance of large aortic abdominal aneurysms do not improve suitability for endovascular repair (Thompson et al); (van der Vliet and Blankensteijn) (Commentary). 2006;43:265-9
- Secondary interventions following endovascular abdominal aortic aneurysm repair using current endografts. A EUROSTAR report (Hobo and Buth). 2006;43:896-902, 896.e1-e8
- Simvastatin suppresses experimental aortic aneurysm expansion (Kalyanasundaram et al). 2006;43:117-24, 117.e1-e39
- Successful endovascular repair of a ruptured abdominal aortic aneurysm in a patient with unfavorable anatomy (Grey et al). 2006;43:831-3 (Case rep.)
- Temporal changes in mouse aortic wall gene expression during the development of elastase-induced abdominal aortic aneurysms (Vickle-Chavez et al). 2006;43:1010-20
- Thirty-day mortality statistics underestimate the risk of repair of thoracoabdominal aortic aneurysm: a statewide experience (Rigberg et al); (Huber) (Commentary). 2006;43:217-23
- Three-dimensional analysis of enlarging aneurysms after endovascular abdominal aortic aneurysm repair in the Gore Excluder Pivotal clinical trial (Fillinger). 2006;43:888-95
- The value of motor evoked potentials in reducing paraplegia during thoracoabdominal aneurysm repair (Jacobs et al). 2006;43:239-46
- Visceral vessel relocation techniques (Farber). 2006;43:A81-4
- Aortic aneurysm, thoracic**
- Aortic neck morphology after endovascular repair of descending thoracic aortic aneurysms (Hassoun et al). 2006;43:26-31
- Beyond the aortic bifurcation: branched endovascular grafts for thoracoabdominal and aortoiliac aneurysms (Greenberg et al); (Fillinger) (Commentary). 2006;43:879-87
- A biologic basis for asymmetric growth in descending thoracic aortic aneurysms: a role for matrix metalloproteinase 9 and 2 (Sinha et al). 2006;43:342-8
- Branched and fenestrated stent grafts for endovascular repair of thoracic aortic aneurysms (Chuter). 2006;43:A111-15
- Complex thoracoabdominal aortic aneurysms: endovascular exclusion with visceral revascularization (Black et al); (Quinones-Baldrich) (Commentary). 2006;43:2081-90
- Complications for thoracic aortic endografts: spinal cord ischemia and stroke (Sullivan and Sundt). 2006;43:A85-8
- Current Procedural Terminology (CPT) coding for descending thoracic aorta endovascular repair (Seabrook). 2006;43:A106-10
- Current results of open surgical repair of descending thoracic aortic aneurysms (Black and Cambria). 2006;43:A6-11
- Early outcomes after elective and emergent endovascular repair of the thoracic aorta (Iyer et al). 2006;43:677-83
- Emergent stent-graft treatment for rupture (Farber). 2006;43:A44-7
- Endograft exclusion of acute and chronic descending thoracic aortic dissections (Song et al). 2006;43:247-58
- Endovascular management of thoracic aortic aneurysms. Preoperative imaging and device sizing (Kougias et al). 2006;43:A48-52
- Endovascular repair of a proximal aortic arch aneurysm: a novel approach of supra-aortic debranching with antegrade endograft deployment via an anterior thoracotomy approach (Zhou et al). 2006;43:1045-8 (Case rep.)
- An evaluation of centerline of flow measurement techniques to assess migration after thoracic endovascular aneurysm repair (O'Neill et al). 2006;43:1103-10
- Late complications of thoracic endografts (Kasijaran et al). 2006;43:A94-9
- Managing proximal arch vessels (Sanchez). 2006;43:A78-80
- Percutaneous balloon occlusion of the inferior vena cava as an adjunct for treating ruptured type IV thoracoabdominal aneurysm and aortocaval fistula (Espinell et al). 2006;43:834-5 (Case rep.)
- Percutaneous techniques for aneurysm repair (Morasch). 2006;43:A69-72
- Postoperative imaging surveillance and endoleak management after endovascular repair of thoracic aortic aneurysms (Stavropoulos and Carpenter). 2006;43:A89-93
- Preface (Matsumura). 2006;43:A1-2 (Preface)
- Prevention of renal failure in patients undergoing thoracoabdominal aortic aneurysm repair (Jacobs et al). 2004;40:1067-73. Correction 2006;43:429
- Recommended clinical competencies for initiating a program in endovascular repair of the thoracic aorta (Milner et al). 2006;43:A100-5
- Regarding "Prevention of renal failure in patients undergoing thoracoabdominal aortic aneurysm repair" (Jacobs et al) (Letter); (Cronenwett and Seeger) (Reply). 2006;43:428-9
- Starting a program for endovascular thoracic procedures: challenges and solutions (Eskandari). 2006;43:A3-5
- Subclavian artery transposition and bypass techniques for use with endoluminal repair of acute and chronic thoracic aortic pathology (Morasch and Peterson). 2006;43:A73-7
- Techniques for large sheath insertion during endovascular thoracic aortic aneurysm repair (Parmer and Carpenter). 2006;43:A62-8
- Thirty-day mortality statistics underestimate the risk of repair of thoracoabdominal aortic aneurysm: a statewide experience (Rigberg et al); (Huber) (Commentary). 2006;43:217-23
- Totally laparoscopic assisted thoracic aorta endograft delivery by direct sheath placement into the aorta (Fukui et al). 2006;43:1274-7 (Case rep.)
- US multicenter trials of endoprostheses for the endovascular treatment of descending thoracic aneurysms (Cho et al). 2006;43:A12-19
- The value of motor evoked potentials in reducing paraplegia during thoracoabdominal aneurysm repair (Jacobs et al). 2006;43:239-46
- Visceral vessel relocation techniques (Farber). 2006;43:A81-4
- Worldwide survey of thoracic endografts: practical clinical application (Matsumura). 2006;43:A20-1
- Aortic arch; see Aorta, thoracic**
- Aortic diseases**
- Endovascular repair of proximal endograft collapse after treatment for thoracic aortic disease (Steinbauer et al). 2006;43:609-12 (Case rep.)
- Utility of left subclavian artery revascularization in association

with endoluminal repair of acute and chronic thoracic aortic pathology (Peterson et al). 2006;43:433-9

Aortic rupture

Biomechanical properties of ruptured versus electively repaired abdominal aortic aneurysm wall tissue (Di Martino et al); (Henke) (Commentary). 2006;43:570-6

A decade of change in abdominal aortic aneurysm repair in the United States: have we improved outcomes equally between men and women? (Dillavou et al); (Lindsay) (Commentary). 2006;43:230-8

Emergent stent-graft treatment for rupture (Farber). 2006;43:A44-7

Endograft treatment of ruptured abdominal aortic aneurysms using the Talent aortouniiliac system: an international multicenter study (Peppelenbosch et al); (Commentary). 2006;43:1111-23

Endovascular management of traumatic ruptures of the thoracic aorta: a retrospective multicenter analysis of 28 cases in The Netherlands (Hoornweg et al); (Krasznai and Blankensteijn) (Commentary). 2006;43:1096-102

Outcomes of endovascular treatment of ruptured abdominal aortic aneurysms (Greco et al). 2006;43:453-9, 453.e1-e8

Percutaneous balloon occlusion of the inferior vena cava as an adjunct for treating ruptured type IV thoracoabdominal aneurysm and aortocaval fistula (Espinell et al). 2006;43:834-5 (Case rep.)

Progressive growth of a pelvic collection five years after endovascular aneurysm repair: an atypical presentation of an asymptomatic contained rupture (Bladt et al). 2006;43:172-6 (Case rep.)

Regarding "Midterm outcome of endovascular repair of ruptured abdominal aortic aneurysms (Metcalfe). 2006;43:1079 (Letter)

Successful endovascular repair of a ruptured abdominal aortic aneurysm in a patient with unfavorable anatomy (Grey et al). 2006;43:831-3 (Case rep.)

Aortitis

Pneumococcal aortitis: a difficult preoperative diagnosis (Teng et al). 2006;43:177-9 (Case rep.)

Aortography

Carotid string sign (Kashyap and Clair). 2006;43:401

Endovascular management of thoracic aortic aneurysms. Preoperative imaging and device sizing (Kougias et al). 2006;43:A48-52

Intraprocedural imaging: thoracic aortography techniques, intravascular ultrasound, and special equipment (White et al). 2006;43:A53-61

ApoE3Leiden; see Apolipoproteins E

Apolipoproteins E

Short-term dexamethasone treatment inhibits vein graft thickening in hypercholesterolemic ApoE3Leiden transgenic mice (Scheepers et al). 2006;43:809-15

Aptitude

Simulator assessment of innate endovascular aptitude versus empirically correct performance (Hislop et al). 2006;43:47-55

Apyrase

Reconstitution of CD39 in liposomes amplifies nucleoside triphosphate diphosphohydrolase activity and restores thromboregulatory properties (Haller et al). 2006;43:816-23

Arm

Regarding "Improvement in the visualization of superficial arm

veins being evaluated for access and bypass" (Planken et al) (Letter); (van Bemmelen et al) (Reply). 2006;43:646

Arm injuries

Operative and nonoperative management of children aged 13 years or younger with arterial trauma of the extremities (Lazarides et al); (Dalsing) (Commentary). 2006;43:72-6

Arterial occlusive diseases

Decreased wall shear stress in the common carotid artery of patients with peripheral arterial disease or abdominal aortic aneurysm: relation to blood rheology, vascular risk factors, and intima-media thickness (Spring et al); (Hiatt) (Commentary). 2006;43:56-63

Endovascular management of iliac artery occlusions: extending treatment to TransAtlantic Inter-Society Consensus class C and D patients (Leville et al). 2006;43:32-9

Increased psychiatric morbidity after abdominal aortic surgery: risk factors for stress-related disorders (Liberzon et al). 2006;43:929-34

Internal thoracic artery-inferior epigastric artery as a collateral pathway in aortoiliac occlusive disease (Yurdakul et al). 2006;43:707-13

Late reintervention for aortic graft-related events and new aortoiliac disease after open abdominal aortic aneurysm repair in an Australian population (Adam et al); (Naylor) (Commentary). 2006;43:701-6

Late spontaneous recanalization of acute internal carotid artery occlusion (Klonaris et al). 2006;43:844-7 (Case rep.)

Percutaneous angioplasty of the superior gluteal artery for buttock claudication: a report of seven cases and literature review (Batt et al). 2006;43:987-91

Percutaneous endovascular treatment of acute sequential systemic emboli (Russo et al). 2006;43:388-92 (Case rep.)

Prospective evaluation of the relationship between C-reactive protein, D-dimer and progression of peripheral arterial disease (Musicant et al); (Myers) (Commentary). 2006;43:772-80

Regarding "Value of the duplex waveform at the common femoral artery for diagnosing obstructive aortoiliac disease" (Kapadia et al) (Letter); (Spronk and Pattynama) (Reply). 2006;43:428

Results of percutaneous subintimal angioplasty using routine stenting (Treiman et al). 2006;43:513-19

Role of adhesion molecules in the induction of restenosis after angioplasty in the lower limb (Heider et al); (Conte) (Commentary). 2006;43:969-77

Shifting Wallgraft position: case reports and review of the forces affecting Wallgraft positioning (Whittaker et al). 2006;43:383-7 (Case rep.)

Stenting of vertebrobasilar arteries in symptomatic atherosclerotic disease and acute occlusion: case series and review of the literature (Eberhardt et al). 2006;43:1145-54

True lumen re-entry devices facilitate subintimal angioplasty and stenting of total chronic occlusions: initial report (Jacobs et al); (Gloviczki) (Commentary). 2006;43:1297-8

Arteries

Operative and nonoperative management of children aged 13 years or younger with arterial trauma of the extremities (Lazarides et al); (Dalsing) (Commentary). 2006;43:72-6

Reduction of myointimal hyperplasia after arterial anastomosis by local injection of transforming growth factor β 3 (Ghosh et al). 2006;43:142-9

Arteriogenesis; see Neovascularization, physiologic

Arteriovenous fistula

- Delayed presentation of traumatic aortocaval fistula: a report of two cases and a review of the associated compensatory hemodynamic and structural changes (Spencer et al). 2006;43:836-40 (Case rep.)
- Percutaneous balloon occlusion of the inferior vena cava as an adjunct for treating ruptured type IV thoracoabdominal aneurysm and aortocaval fistula (Espinel et al). 2006;43:834-5 (Case rep.)
- T-banding: a technique for flow reduction of a hyperfunctioning arteriovenous fistula (Schneider et al). 2006;43:402-5 (Tech. Note)

Arteriovenous shunt, surgical

- Proximalization of the arterial inflow: a new technique to treat access-related ischemia (Zanow et al); (Fillinger) (Commentary). 2006;43:2188-94
- Regarding "Autogenous radial-cephalic or prosthetic brachial-antecubital forearm loop AVF in patients with compromised vessels? A randomized multicenter study of the patency of primary hemodialysis access" (Turmel-Rodrigues and Bourquelot) (Letter); (Rooijens) (Reply). 2006;43:2273-4
- T-banding: a technique for flow reduction of a hyperfunctioning arteriovenous fistula (Schneider et al). 2006;43:402-5 (Tech. Note)

Atherosclerosis

- Meeting AHA/ACC secondary prevention goals in a vascular surgery practice: an opportunity we cannot afford to miss (Kinikini et al). 2006;43:781-7
- Screening for asymptomatic cardiovascular disease with noninvasive imaging in patients at high-risk and low-risk according to the European Guidelines on Cardiovascular Disease Prevention: the SMART study (Goessens et al). 2006;43:525-32
- Stenting of vertebrobasilar arteries in symptomatic atherosclerotic disease and acute occlusion: case series and review of the literature (Eberhardt et al). 2006;43:1145-54

Atrophy

- Bone morphogenetic protein 4: potential regulator of shear stress-induced graft neointimal atrophy (Hsieh et al). 2006;43:150-8

Authorship

- Consensus statement on surgery journal authorship. 2006;43:2263

Axillary artery

- Evolution from axillofemoral to *in situ* prosthetic reconstruction for the treatment of aortic graft infections at a single center (Oderich et al). 2006;43:1166-74

B

Balloon occlusion

- Cerebral ischemia associated with PercuSurge balloon occlusion balloon during carotid stenting: incidence and possible mechanisms (Chaer et al). 2006;43:946-52
- Percutaneous balloon occlusion of the inferior vena cava as an adjunct for treating ruptured type IV thoracoabdominal aneurysm and aortocaval fistula (Espinel et al). 2006;43:834-5 (Case rep.)
- Use of an endovascular occlusion balloon for control of unrelenting venous hemorrhage (Tillman et al). 2006;43:399-400 (Case rep.)

Basilar artery

- Stenting of vertebrobasilar arteries in symptomatic atheroscle-

rotic disease and acute occlusion: case series and review of the literature (Eberhardt et al). 2006;43:1145-54

Behcet's syndrome

- Extracranial carotid aneurysm in Behcet disease: report of two new cases (Bouarhroum et al). 2006;43:627-30 (Case rep.)

Beta-blockers; see Adrenergic beta-antagonists

Biological markers

- Activated protein C/protein C inhibitor complex: a new biological marker for aortic aneurysms (Kölbel et al). 2006;43:935-9

Bites and stings

- Aortic endograft infection due to *Pasteurella multocida* following a rabbit bite (Silberfein et al). 2006;43:393-5 (Case rep.)

Blood circulation

- Metabolic syndrome impairs physical function, health-related quality of life, and peripheral circulation in patients with intermittent claudication (Gardner et al); (Hiatt) (Commentary). 2006;43:1191-7

Blood coagulation

- Activated coagulation during open and endovascular abdominal aortic aneurysm repair (Englberger et al). 2006;43:1124-9
- The constitutive procoagulant and hypofibrinolytic state in patients with intermittent claudication due to infrainguinal disease significantly improves with percutaneous transluminal balloon angioplasty (Hobbs et al). 2006;43:40-6

Blood flow velocity

- Bone morphogenetic protein 4: potential regulator of shear stress-induced graft neointimal atrophy (Hsieh et al). 2006;43:150-8
- Decreased wall shear stress in the common carotid artery of patients with peripheral arterial disease or abdominal aortic aneurysm: relation to blood rheology, vascular risk factors, and intima-media thickness (Spring et al); (Hiatt) (Commentary). 2006;43:56-63
- T-banding: a technique for flow reduction of a hyperfunctioning arteriovenous fistula (Schneider et al). 2006;43:402-5 (Tech. Note)
- Valsartan improves resting skin blood flow in type 2 diabetic patients and reduces poly(adenosine diphosphate-ribose) polymerase activation (Shrikhande et al); (Dalman) (Commentary). 2006;43:760-71

Blood vessel prosthesis

- Aortic endograft infection due to *Pasteurella multocida* following a rabbit bite (Silberfein et al). 2006;43:393-5 (Case rep.)
- Bone morphogenetic protein 4: potential regulator of shear stress-induced graft neointimal atrophy (Hsieh et al). 2006;43:150-8
- The development of endotension is associated with increased transmission of pressure and serous components in porous expanded polytetrafluoroethylene stent-grafts: characterization using a canine model (Trocciola et al). 2006;43:109-16
- Evolution from axillofemoral to *in situ* prosthetic reconstruction for the treatment of aortic graft infections at a single center (Oderich et al). 2006;43:1166-74
- Graft-enteric erosion with fungal septic emboli (Clouse and Brewster). 2006;43:184
- Heparin immobilization reduces thrombogenicity of small-caliber expanded polytetrafluoroethylene grafts (Heyligers et al). 2006;43:587-91

- Regarding "Autogenous radial-cephalic or prosthetic brachial-antecubital forearm loop AVF in patients with compromised vessels? A randomized multicenter study of the patency of primary hemodialysis access" (Turmel-Rodrigues and Bourquelot) (Letter); (Rooijens) (Reply). 2006;43:1318
- Technique for safe removal of an aortic endograft with suprarenal fixation (Koning et al). 2006;43:855-7 (Tech. Note)
- Blood vessel prosthesis implantation**
- Adjunctive primary stenting of Zenith endograft limbs during endovascular abdominal aortic aneurysm repair: implications for limb patency (Sivamurthy et al). 2006;43:662-70
- Aortic dissection: perspectives in the era of stent-graft repair (Atkins et al). 2006;43:A30-43
- Aortic neck morphology after endovascular repair of descending thoracic aortic aneurysms (Hassoun et al). 2006;43:26-31
- Are type II endoleaks after endovascular aneurysm repair endograft dependent? (Sheehan et al). 2006;43:657-61
- Beyond the aortic bifurcation: branched endovascular grafts for thoracoabdominal and aortoiliac aneurysms (Greenberg et al); (Fillinger) (Commentary). 2006;43:879-87
- Branched and fenestrated stent grafts for endovascular repair of thoracic aortic aneurysms (Chuter). 2006;43:A111-15
- Carotid artery stenting in octogenarians is associated with increased adverse outcomes (Stanziale et al). 2006;43:297-304
- Carotid string sign (Kashyap and Clair). 2006;43:401
- Cerebral ischemia associated with PercuSurge balloon occlusion balloon during carotid stenting: incidence and possible mechanisms (Chaer et al). 2006;43:946-52
- Complications for thoracic aortic endografts: spinal cord ischemia and stroke (Sullivan and Sundt). 2006;43:A85-8
- Consistency in endovascular aneurysm repair suitability assessment requires group decision audit (Rödel et al). 2006;43:671-6
- Current Procedural Terminology (CPT) coding for descending thoracic aorta endovascular repair (Seabrook). 2006;43:A106-10
- Current status of carotid artery stenting (Goodney et al). 2006;43:406-11
- Early outcomes after elective and emergent endovascular repair of the thoracic aorta (Iyer et al). 2006;43:677-83
- Emergent stent-graft treatment for rupture (Farber). 2006;43:A44-7
- Endograft exclusion of acute and chronic descending thoracic aortic dissections (Song et al). 2006;43:247-58
- Endograft treatment of ruptured abdominal aortic aneurysms using the Talent aortouniliac system: an international multicenter study (Peppelenbosch et al); (Commentary). 2006;43:1111-22
- Endovascular aneurysm repair with suprarenal vs infrarenal fixation: a study of renal effects (Parmer and Carpenter). 2006;43:19-25, 19.e1-e9
- Endovascular management of iliac artery occlusions: extending treatment to TransAtlantic Inter-Society Consensus class C and D patients (Leville et al). 2006;43:32-9
- Endovascular management of thoracic aortic aneurysms. Preoperative imaging and device sizing (Kougias et al). 2006;43:A48-52
- Endovascular repair of acute type B aortic dissection: early and mid-term results (Xu et al). 2006;43:1090-5
- Endovascular repair of a proximal aortic arch aneurysm: a novel approach of supra-aortic debranching with antegrade endograft deployment via an anterior thoracotomy approach (Zhou et al). 2006;43:1045-8 (Case rep.)
- Endovascular repair of proximal endograft collapse after treatment for thoracic aortic disease (Steinbauer et al). 2006;43:609-12 (Case rep.)
- Endovascular treatment of iliac artery aneurysms with a tubular stent-graft: mid-term results (Tielliu et al). 2006;43:440-5
- Endovascular treatment of traumatic thoracic aortic injury—should this be the new standard of treatment? (Lin et al). 2006;43:A22-9
- Evaluation of the complexity of open abdominal aneurysm repair in the era of endovascular stent grafting (Costin et al). 2006;43:915-20
- Factors predictive of early or late aneurysm sac size change following endovascular repair (Fairman et al). 2006;43:649-56
- Flow measurement before and after papaverine injection in above-knee prosthetic femoropopliteal bypass (Pedersen et al). 2006;43:729-34
- Heparin-bonded expanded polytetrafluoroethylene vascular graft for femoropopliteal and femorocrural bypass grafting: 1-year results (Bosiers et al); (Mills) (Commentary). 2006;43:313-19
- The importance of iliac fixation in prevention of stent graft migration (Heikkinen et al); (Chuter) (Commentary). 2006;43:1130-6
- Inflammatory responses involving tumor necrosis factor receptor-associated factor 6 contribute to in-stent lesion formation in a stent implantation model of rabbit carotid artery (Miyahara et al). 2006;43:592-600
- Late complications of thoracic endografts (Kasijaran et al). 2006;43:A94-9
- Late reintervention for aortic graft-related events and new aortoiliac disease after open abdominal aortic aneurysm repair in an Australian population (Adam et al); (Naylor) (Commentary). 2006;43:701-6
- Long-duration temporary vena cava filter: a prospective 104-case multicenter study (Bovyn et al). 2006;43:2195-2201
- Long-term outcome after Talent endograft implantation for aneurysms of the abdominal aorta: a multicenter retrospective study (Torsello et al); (Buth) (Commentary). 2006;43:277-84
- Management of in-stent restenosis after carotid artery stenting in high-risk patients (Zhou et al). 2006;43:305-12
- A new technique for hypogastric artery embolization (Linares-Palomino et al); (Baxter) (Commentary). 2006;43:1064-9 (Tech. Note)
- Percutaneous techniques for aneurysm repair (Morasch). 2006;43:A69-72
- Preface (Matsumura). 2006;43:A1-2 (Preface)
- Progressive growth of a pelvic collection five years after endovascular aneurysm repair: an atypical presentation of an asymptomatic contained rupture (Bladt et al). 2006;43:172-6 (Case rep.)
- Regarding "Cerebral microembolization after protected carotid artery stenting in surgical high-risk patients: results of a 2-year prospective study" (Limet) (Letter); (Hammer) (Reply). 2006;43:1314
- Regarding: "Endovascular management of spontaneous carotid artery dissection" (Norris and Menon) (Letter); (Mackey et al) (Replies). 2006;43:869-70
- Regarding "Lifeline registry of endovascular aneurysm repair:

- long-term primary outcome measures" (Manning) (Letter); (Zarins) (Reply). 2006;43:199-200
- Repair of a blunt traumatic inferior vena cava laceration with commercially available endografts (Sam et al). 2006;43:841-3 (Case rep.)
- Sac enlargement due to seroma after endovascular abdominal aortic aneurysm repair with the Endologix PowerLink device (Nano et al). 2006;43:169-71 (Case rep.)
- Secondary interventions following endovascular abdominal aortic aneurysm repair using current endografts. A EUROSTAR report (Hobo and Buth). 2006;43:896-902, 896.e1-e8
- Sheath-assisted controlled deployment technique for Excluder bifurcated main body (Lee and Nelson). 2006;43:1060-3 (Tech. Note)
- Shifting Wallgraft position: case reports and review of the forces affecting Wallgraft positioning (Whittaker et al). 2006;43:383-7 (Case rep.)
- Starting a program for endovascular thoracic procedures: challenges and solutions (Eskandari). 2006;43:A3-5
- Stenting of vertebrobasilar arteries in symptomatic atherosclerotic disease and acute occlusion: case series and review of the literature (Eberhardt et al). 2006;43:1145-54
- Successful endovascular repair of a ruptured abdominal aortic aneurysm in a patient with unfavorable anatomy (Grey et al). 2006;43:831-3 (Case rep.)
- Symptomatic collapse of a thoracic aorta endoprosthesis (Mestres et al). 2006;43:1270-3 (Case rep.)
- Technique of slow deployment of Gore Excluder endograft improves accuracy of placement (Minion et al). 2006;43:852-4 (Tech. Note)
- Techniques for large sheath insertion during endovascular thoracic aortic aneurysm repair (Parmer and Carpenter). 2006;43:A62-8
- Three-dimensional analysis of enlarging aneurysms after endovascular abdominal aortic aneurysm repair in the Gore Excluder Pivotal clinical trial (Fillinger). 2006;43:888-95
- Timing of endovascular repair of blunt traumatic thoracic aortic transections (Reed et al). 2006;43:684-8
- Totally laparoscopic assisted thoracic aorta endograft delivery by direct sheath placement into the aorta (Fukui et al). 2006;43:1274-7 (Case rep.)
- Totally percutaneous aortic aneurysm repair: experience and prudence (Starnes et al). 2006;43:270-6
- Treatment of asymptomatic carotid artery disease: similar early outcomes after carotid stenting for high-risk patients and endarterectomy for standard-risk patients (Marine et al). 2006;43:953-8
- US multicenter trials of endoprostheses for the endovascular treatment of descending thoracic aneurysms (Cho et al). 2006;43:A12-19
- Utility of left subclavian artery revascularization in association with endoluminal repair of acute and chronic thoracic aortic pathology (Peterson et al). 2006;43:433-9
- Worldwide survey of thoracic endografts: practical clinical application (Matsumura). 2006;43:A20-1
- Blunt injuries; see Wounds, nonpenetrating**
- Body weight changes**
- Obesity, weight change, and functional decline in peripheral arterial disease (McDermott et al). 2006;43:1198-204
- Bone marrow cells**
- The bone marrow-derived endothelial progenitor cell response is impaired in delayed wound healing from ischemia (Bauer et al). 2006;43:134-41
- Bone morphogenetic proteins**
- Bone morphogenetic protein 4: potential regulator of shear stress-induced graft neointimal atrophy (Hsieh et al). 2006;43:150-8
- Book reviews**
- Book reviews. 2006;43:201-3, 430-1, 878
- Brachial artery**
- Regarding "Autogenous radial-cephalic or prosthetic brachial-antecubital forearm loop AVF in patients with compromised vessels? A randomized multicenter study of the patency of primary hemodialysis access" (Turmel-Rodrigues and Bourquelot) (Letter); (Roijens) (Reply). 2006;43:1315
- Brachiocephalic veins**
- Regarding "Autogenous radial-cephalic or prosthetic brachial-antecubital forearm loop AVF in patients with compromised vessels? A randomized multicenter study of the patency of primary hemodialysis access" (Turmel-Rodrigues and Bourquelot) (Letter); (Roijens) (Reply). 2006;43:1315
- Brain ischemia**
- Cerebral ischemia associated with PercuSurge balloon occlusion balloon during carotid stenting: incidence and possible mechanisms (Chaer et al). 2006;43:946-52
- Increased incidence of cerebral clamping ischemia during early contralateral carotid endarterectomy (Marrocco-Trischitta et al). 2006;43:2142-8
- Budd-Chiari syndrome; see Hepatic vein thrombosis**
- Buttocks**
- Percutaneous angioplasty of the superior gluteal artery for buttock claudication: a report of seven cases and literature review (Batt et al). 2006;43:987-91
- Successful percutaneous treatment of gluteal claudication secondary to isolated bilateral hypogastric stenoses (Chaer et al). 2006;43:165-8 (Case rep.)
- C**
- Caldesmon; see Calmodulin-binding proteins**
- Calmodulin-binding proteins**
- Transforming growth factor- β 1 antisense treatment of rat vein grafts reduces the accumulation of collagen and increases the accumulation of h-caldesmon (Wolff et al). 2006;43:1028-36
- Capillary microscopy; see Microscopic angioscopy**
- Cardiovascular diseases**
- Reduced lung function in patients with abdominal aortic aneurysm is associated with activation of inflammation and hemostasis, not smoking or cardiovascular disease (Fowkes et al). 2006;43:474-80
- Screening for asymptomatic cardiovascular disease with noninvasive imaging in patients at high-risk and low-risk according to the European Guidelines on Cardiovascular Disease Prevention: the SMART study (Goessens et al). 2006;43:525-32
- Carotid arteries**
- Analysis of parameters associated with hypotension requiring vasopressor support after carotid angioplasty and stenting (Trocciola et al). 2006;43:714-20
- Carotid artery aneurysm: evolution of management over two decades (Zhou et al); (Naylor) (Commentary). 2006;43:493-7

- Cerebral ischemia associated with PercuSurge balloon occlusion balloon during carotid stenting: incidence and possible mechanisms (Chaer et al). 2006;43:946-52
- Current status of carotid artery stenting (Goodney et al). 2006;43:406-11
- Extracranial carotid aneurysm in Behçet disease: report of two new cases (Bouarhroum et al). 2006;43:627-30 (Case rep.)
- Infected carotid pseudoaneurysm and carotid-cutaneous fistula as a late complication of carotid artery stenting (Kaviani et al). 2006;43:379-82 (Case rep.)
- Managing proximal arch vessels (Sanchez). 2006;43:A78-80
- A personal experience with coronary artery bypass grafting, carotid patching, and other factors influencing the outcome of carotid endarterectomy (Hertzer and Mascha). 2006;43:959-68, 959.e1-e14
- Regarding "Cerebral microembolization after protected carotid artery stenting in surgical high-risk patients: results of a 2-year prospective study" (Limet) (Letter); (Hammer) (Reply). 2006;43:1314
- Short-term dexamethasone treatment inhibits vein graft thickening in hypercholesterolemic ApoE3Leiden transgenic mice (Scheepers et al). 2006;43:809-15
- Carotid artery, common**
- Decreased wall shear stress in the common carotid artery of patients with peripheral arterial disease or abdominal aortic aneurysm: relation to blood rheology, vascular risk factors, and intima-media thickness (Spring et al); (Hiatt) (Commentary). 2006;43:56-63
- Carotid artery, internal**
- Carotid string sign (Kashyap and Clair). 2006;43:401
- Intraoperative identification of the internal carotid artery: a safety issue (Björck and Bergqvist). 2006;43:159-61 (Case rep.)
- Late spontaneous recanalization of acute internal carotid artery occlusion (Klonaris et al). 2006;43:844-7 (Case rep.)
- Reconstructive surgery for segmental arterial mediolysis involving both the internal carotid artery and visceral arteries (Obara et al). 2006;43:623-6 (Case rep.)
- Carotid artery, internal, dissection**
- Distal internal carotid artery dissecting aneurysm (Fernández-Alonso and Alcalde). 2006;43:1290
- Carotid artery diseases**
- Long-term results of carotid stenting are competitive with surgery (Bergeron et al). 2005;41:213-21. Correction 2006;43:871-3
- Regarding: "Endovascular management of spontaneous carotid artery dissection" (Norris and Menon) (Letter); (Mackey et al) (Replies). 2006;43:869-70
- Regarding "Long-term results of carotid stenting are competitive with surgery" (Chang and Stein) (Letter); (Bergeron) (Reply). 2006;43:870
- Treatment of asymptomatic carotid artery disease: similar early outcomes after carotid stenting for high-risk patients and endarterectomy for standard-risk patients (Marine et al). 2006;43:953-8
- Carotid endarterectomy; see Endarterectomy, carotid**
- Carotid stenosis**
- Activation of the peroxynitrite-poly(adenosine diphosphate-ribose) polymerase pathway during neointima proliferation: a new target to prevent restenosis after endarterectomy (Beller et al). 2006;43:824-30
- Carotid artery stenting in octogenarians is associated with increased adverse outcomes (Stanziale et al). 2006;43:297-304
- Carotid string sign (Kashyap and Clair). 2006;43:401
- Detection of carotid stenosis in African Americans with ischemic heart disease (Rajamani et al). 2006;43:1162-5
- Inflammatory responses involving tumor necrosis factor receptor-associated factor 6 contribute to in-stent lesion formation in a stent implantation model of rabbit carotid artery (Miyahara et al). 2006;43:592-600
- Management of in-stent restenosis after carotid artery stenting in high-risk patients (Zhou et al). 2006;43:305-12
- Case reports**
- Case reports. 2006;43:159-83, 609-30, 831-50, 1045-58, 2243-58
- Catheter ablation**
- Regarding "Laser therapy and radiofrequency ablation of the great saphenous vein: analysis of early efficacy and complications" (Bush) (Letter); (Puggioni et al) (Reply). 2006;43:642-3
- Catheterization, central venous**
- Acrylic cement pulmonary embolus masquerading as an embolized central venous catheter fragment (MacTaggart et al). 2006;43:180-3 (Case rep.)
- CD39 antigen; see Antigens, CD; Apyrase**
- Celiac artery**
- Reconstructive surgery for segmental arterial mediolysis involving both the internal carotid artery and visceral arteries (Obara et al). 2006;43:623-6 (Case rep.)
- Visceral vessel relocation techniques (Farber). 2006;43:A81-4
- Cell adhesion molecules**
- Role of adhesion molecules in the induction of restenosis after angioplasty in the lower limb (Heider et al); (Conte) (Commentary). 2006;43:969-77
- Cell movement**
- Monocyte recruitment in venous thrombus resolution (Ali et al). 2006;43:601-8
- Cerebral infarction**
- Regarding "Cerebral microembolization after protected carotid artery stenting in surgical high-risk patients: results of a 2-year prospective study" (Limet) (Letter); (Hammer) (Reply). 2006;43:2271-2
- Cerebral ischemia; see Brain ischemia**
- Cerebrovascular accident**
- Complications for thoracic aortic endografts: spinal cord ischemia and stroke (Sullivan and Sundt). 2006;43:A85-8
- Regarding "3-Hydroxy-3-methylglutaryl coenzyme A reductase inhibitors reduce the risk of perioperative stroke and mortality after carotid endarterectomy" (Kok and Koppert) (Letter); (Perler et al) (Reply). 2006;43:643-5
- Stroke after varicose vein foam injection sclerotherapy (Forlee et al). 2006;43:162-4 (Case rep.)
- Chemokines, CC**
- Monocyte recruitment in venous thrombus resolution (Ali et al). 2006;43:601-8
- Child**
- Operative and nonoperative management of children aged 13 years or younger with arterial trauma of the extremities (Lazarides et al); (Dalsing) (Commentary). 2006;43:72-6
- Surgery of the abdominal aorta and its branches in children: late follow-up (Barral et al). 2006;43:1138-44
- Chlamydia pneumoniae**
- Chlamydia pneumoniae* and vascular disease: an update (Mussa et al). 2006;43:1301-7

Chylous ascites

Diagnosis and management of primary chylous ascites (Campisi et al). 2006;43:1244-8

Clamping; see Constriction

Clinical competence

Clinical competence statement on thoracic endovascular aortic repair (TEVAR)—multispecialty consensus recommendations (SVS/SIR/SCAI/SVMB Writing Committee). 2006;43:858-62

Current guidelines produce competent endovascular surgeons (Weaver et al). 2006;43:992-8

Recommended clinical competencies for initiating a program in endovascular repair of the thoracic aorta (Milner et al). 2006;43:A100-5

Technical skills continue to improve beyond surgical training (Pandey et al). 2006;43:539-45

Colitis, ischemic

Replanting the inferior mesentery artery during infrarenal aortic aneurysm repair: influence on postoperative colon ischemia (Senekowitsch et al). 2006;43:689-94

Collagen

Synthetic smooth muscle cell phenotype is associated with increased nicotinamide adenine dinucleotide phosphate oxidase activity: effect on collagen secretion (Patel et al). 2006;43:364-71

Transforming growth factor- β 1 antisense treatment of rat vein grafts reduces the accumulation of collagen and increases the accumulation of h-caldesmon (Wolff et al). 2006;43:1028-36

Collateral circulation

Internal thoracic artery-inferior epigastric artery as a collateral pathway in aortoiliac occlusive disease (Yurdakul et al). 2006;43:707-13

Compartment syndromes

Acute compartment syndrome: an unusual complication of a previously bypassed popliteal aneurysm—case report and literature review (Batt et al). 2006;43:1049-52 (Case rep.)

Computer simulation

Simulator assessment of innate endovascular aptitude versus empirically correct performance (Hislop et al). 2006;43:47-55

Congestive heart failure; see Heart failure, congestive

Consensus

Consensus statement on surgery journal authorship. 2006;43:2263

Constriction

Increased incidence of cerebral clamping ischemia during early contralateral carotid endarterectomy (Marrocco-Trischitta et al). 2006;43:1155-61

Oxygen-radical regulation of renal blood flow following suparenal aortic clamping (Myers et al). 2006;43:577-86

Constriction, pathologic

Successful percutaneous treatment of gluteal claudication secondary to isolated bilateral hypogastric stenoses (Chaer et al). 2006;43:165-8 (Case rep.)

Continuity of patient care

Continuity of care experience of residents in an academic vascular department: are trainees learning complete surgical care? (Gagnon et al). 2006;43:999-1003

Cooling pad; see Cryotherapy

Coronary arteriosclerosis

Postoperative outcomes for patients undergoing elective revascularization for critical limb ischemia and intermittent clau-

dication: a subanalysis of the Coronary Artery Revascularization Prophylaxis (CARP) trial (Raghunathan et al). 2006;43:1175-82

Coronary artery bypass

A personal experience with coronary artery bypass grafting, carotid patching, and other factors influencing the outcome of carotid endarterectomy (Hertzer and Mascha). 2006;43:959-68, 959.e1-e14

Coronary artery disease; see Coronary arteriosclerosis

Coronary vessels

Neutrophil antimicrobial peptide α -defensin causes endothelial dysfunction in porcine coronary arteries (Kougiass et al). 2006;43:357-63

Corrections

Abdominal aortic aneurysm sac shrinkage after endovascular aneurysm repair: correlation with chronic sac pressure management (Ellozy et al) (2006;43:2-7). 2006;43:647

Long-term results of carotid stenting are competitive with surgery (Bergeron et al) (2005;41:213-21). 2006;43:871-3

Optimal prediction of mortality after abdominal aortic aneurysm repair with statistical models (Hadjianastassiou et al) (2006;43:467-73, 467.e1-e10). 2006;43:877

Prevention of renal failure in patients undergoing thoracoabdominal aortic aneurysm repair (Jacobs et al) (2004;40:1067-73). 2006;43:429

Takayasu's arteritis: operative results and influence of disease activity (Fields et al) (2006;43:64-71). 2006;43:648

Technique of contemporary iliofemoral and infrainguinal venous thrombectomy (Comerota and Gale) (2006;43:185-91). 2006;43:874-7

Cost-benefit analysis

Cost-effectiveness of screening women for abdominal aortic aneurysm (Wanhainen et al); (Kent) (Commentary). 2006;43:908-14

C-reactive protein

Prospective evaluation of the relationship between C-reactive protein, D-dimer and progression of peripheral arterial disease (Musicant et al); (Myers) (Commentary). 2006;43:772-80

Credentialing

Ethics of payor's specialist physicians credentialing (Jones and McCullough). 2006;43:1073-5 (Editorial)

Cryotherapy

Cold spinoplegia and transvertebral cooling pad reduce spinal cord injury during thoracoabdominal aortic surgery (Isaka et al). 2006;43:1257-62

Current Procedural Terminology

Current Procedural Terminology (CPT) coding for descending thoracic aorta endovascular repair (Seabrook). 2006;43:106-10

Cutaneous fistula

Infected carotid pseudoaneurysm and carotid-cutaneous fistula as a late complication of carotid artery stenting (Kaviani et al). 2006;43:379-82 (Case rep.)

D

Data collection

Worldwide survey of thoracic endografts: practical clinical application (Matsumura). 2006;43:A20-1

Decision support techniques

Consistency in endovascular aneurysm repair suitability assess-

- ment requires group decision audit (Rödel et al). 2006;43:671-6
- Decompression, surgical**
Regarding "Evidence for early nasogastric tube removal after infrarenal aortic surgery: a randomized trial" (Walsh et al) (Letter); (Gouëffic and Rozec) (Reply). 2006;43:645-6
- Deep vein thrombosis; see Venous thrombosis**
- alpha-Defensins**
Neutrophil antimicrobial peptide α -defensin causes endothelial dysfunction in porcine coronary arteries (Kougias et al). 2006;43:357-63
- Depression**
Increased psychiatric morbidity after abdominal aortic surgery: risk factors for stress-related disorders (Liberzon et al). 2006;43:929-34
- Desmuslin; see Intermediate filament proteins**
- Device removal**
Regarding "Evidence for early nasogastric tube removal after infrarenal aortic surgery: a randomized trial" (Walsh et al) (Letter); (Gouëffic and Rozec) (Reply). 2006;43:645-6
Technique for safe removal of an aortic endograft with suprarenal fixation (Koning et al). 2006;43:855-7 (Tech. Note)
- Dexamethasone**
Short-term dexamethasone treatment inhibits vein graft thickening in hypercholesterolemic ApoE3Leiden transgenic mice (Scheepers et al). 2006;43:809-15
- Dextrans**
Anaphylactoid reactions to Dextran 40 and 70: reports to the United States Food and Drug Administration, 1969 to 2004 (Zinderman et al). 2006;43:1004-9
Pretreatment with dextran 1 makes dextran 40 therapy safer (Ljungström). 2006;43:1070-2 (Editorial)
- Diabetes mellitus, type 2**
Valsartan improves resting skin blood flow in type 2 diabetic patients and reduces poly(adenosine diphosphate-ribose) polymerase activation (Shrikhande et al); (Dalman) (Commentary). 2006;43:760-71
- Diagnostic imaging**
Diagnosis and management of primary chylous ascites (Campisi et al). 2006;43:1244-8
Postoperative imaging surveillance and endoleak management after endovascular repair of thoracic aortic aneurysms (Stavropoulos and Carpenter). 2006;43:A89-93
Use of microcirculatory parameters to evaluate chronic venous insufficiency (Virgini-Magalhães et al). 2006;43:1037-44
- D-dimer; see Fibrin fibrinogen degradation products**
- Disease models, animal**
The development of endotension is associated with increased transmission of pressure and serous components in porous expanded polytetrafluoroethylene stent-grafts: characterization using a canine model (Trocciola et al). 2006;43:109-16
Experimental pulmonary embolism: effects of the thrombus and attenuation of pulmonary artery injury by low-molecular-weight heparin (Rectenwald et al). 2006;43:800-8
Simvastatin suppresses experimental aortic aneurysm expansion (Kalyanasundaram et al). 2006;43:117-24, 117.e1-e39
- Duodenal obstruction**
Aortoduodenal syndrome (Takagi et al). 2006;43:851
- Duodenum**
Thrombin injection of a pancreaticoduodenal artery pseudoaneurysm after failed attempts at transcatheter embolization (Ghassemi et al). 2006;43:618-22 (Case rep.)
- E**
- Edifoligide; see Oligonucleotides**
- Editorials**
CME credit now available for selected articles (Cronenwett and Seeger). 2006;43:1
Ethics of payor's specialist physicians credentialing (Jones and McCullough). 2006;43:1073-5
Pretreatment with dextran 1 makes dextran 40 therapy safer (Ljungström). 2006;43:1070-2
- Education, medical**
Continuity of care experience of residents in an academic vascular department: are trainees learning complete surgical care? (Gagnon et al). 2006;43:999-1003
Technical skills continue to improve beyond surgical training (Pandey et al). 2006;43:539-45
- Education, medical, continuing**
CME credit now available for selected articles (Cronenwett and Seeger). 2006;43:1 (Editorial)
- Elastase; see Pancreatic elastase**
- Embolism**
Graft-enteric erosion with fungal septic emboli (Clouse and Brewster). 2006;43:184
Percutaneous endovascular treatment of acute sequential systemic emboli (Russo et al). 2006;43:388-92 (Case rep.)
- Embolization, therapeutic**
Concomitant unilateral internal iliac artery embolization and endovascular infrarenal aortic aneurysm repair (Lee et al). 2006;43:903-7
A new technique for hypogastric artery embolization (Linares-Palomino et al); (Baxter) (Commentary). 2006;43:1064-9 (Tech. Note)
Regarding "Cerebral microembolization after protected carotid artery stenting in surgical high-risk patients: results of a 2-year prospective study" (Limet) (Letter); (Hammer) (Reply). 2006;43:2271-2
Thrombin injection of a pancreaticoduodenal artery pseudoaneurysm after failed attempts at transcatheter embolization (Ghassemi et al). 2006;43:618-22 (Case rep.)
- Endarterectomy**
Remote endarterectomy: lessons learned after more than 100 cases (Martin et al). 2006;43:320-6
- Endarterectomy, carotid**
Activation of the peroxynitrite-poly(adenosine diphosphate-ribose) polymerase pathway during neointima proliferation: a new target to prevent restenosis after endarterectomy (Beller et al). 2006;43:824-30
Defining the high-risk patient for carotid endarterectomy: an analysis of the prospective National Surgical Quality Improvement Program database (Stoner et al); (Kresowik) (Commentary). 2006;43:285-96, 285.e1-e13
Increased incidence of cerebral clamping ischemia during early contralateral carotid endarterectomy (Marrocco-Trischitta et al). 2006;43:1155-61
Intraoperative identification of the internal carotid artery: a safety issue (Björck and Bergqvist). 2006;43:159-61 (Case rep.)
A personal experience with coronary artery bypass grafting, carotid patching, and other factors influencing the outcome of carotid endarterectomy (Hertzer and Mascha). 2006;43:959-68, 959.e1-e14

- Regarding "3-Hydroxy-3-methylglutaryl coenzyme A reductase inhibitors reduce the risk of perioperative stroke and mortality after carotid endarterectomy" (Kok and Koppert) (Letter); (Perler et al) (Reply). 2006;43:643-5
- Regarding: "Initial experience with eversion carotid endarterectomy: absence of a learning curve for the first 100 patients" (Baracchini et al) (Letter); (Brothers) (Reply). 2006;43:1078-9
- Regarding: "Patching versus primary closure for carotid endarterectomy" (Chan et al) (Letter); (Rockman) (Reply). 2006;43:868-9
- Treatment of asymptomatic carotid artery disease: similar early outcomes after carotid stenting for high-risk patients and endarterectomy for standard-risk patients (Marine et al). 2006;43:953-8
- Endoleakage; see Postoperative complications**
- Endothelial cells**
- The bone marrow-derived endothelial progenitor cell response is impaired in delayed wound healing from ischemia (Bauer et al). 2006;43:134-41
- Endothelial nitric oxide synthase; see Nitric oxide synthase type III**
- Endothelium, vascular**
- Neutrophil antimicrobial peptide α -defensin causes endothelial dysfunction in porcine coronary arteries (Kougiass et al). 2006;43:357-63
- Epigastric arteries**
- Internal thoracic artery-inferior epigastric artery as a collateral pathway in aortoiliac occlusive disease (Yurdakul et al). 2006;43:707-13
- Equipment and supplies**
- Intraprocedural imaging: thoracic aortography techniques, intravascular ultrasound, and special equipment (White et al). 2006;43:A53-61
- Ethics, medical**
- Consultation or corruption? The ethics of signing on to the medical-industrial complex (Jones et al). 2006;43:192-5
- Ethics of payor's specialist physicians credentialing (Jones and McCullough). 2006;43:1073-5 (Editorial)
- From premiums to payouts: who's behind the malpractice crisis, anyway? (Jones et al). 2006;43:635-8
- A helping hand bitten: an ethical response to medical malpractice suits (Jones et al). 2006;43:422-5
- Other people's money: ethics, finances, and bad outcomes (Jones et al). 2006;43:863-5
- Ethnic groups**
- Revascularization for peripheral vascular disease in Aboriginal and non-Aboriginal patients (Goulet et al). 2006;43:735-41
- Evoked potentials, motor**
- The value of motor evoked potentials in reducing paraplegia during thoracoabdominal aneurysm repair (Jacobs et al). 2006;43:239-46
- Exercise**
- The constitutive procoagulant and hypofibrinolytic state in patients with intermittent claudication due to infrainguinal disease significantly improves with percutaneous transluminal balloon angioplasty (Hobbs et al). 2006;43:40-6
- Exercise test**
- High-energy phosphate metabolism during incremental calf exercise in patients with unilaterally symptomatic peripheral arterial disease measured by phosphor 31 magnetic resonance spectroscopy (Greiner et al). 2006;43:978-86

Extremities

- Reduction in deep vein reflux after concomitant subfascial endoscopic perforating vein surgery and superficial vein ablation in advanced primary chronic venous insufficiency (Ting et al). 2006;43:546-50

F

Femoral artery

- Evaluation of risk factors associated with femoral pseudoaneurysms after cardiac catheterization (Ates et al). 2006;43:520-4
- Evolution from axillofemoral to *in situ* prosthetic reconstruction for the treatment of aortic graft infections at a single center (Oderich et al). 2006;43:1166-74
- Flow measurement before and after papaverine injection in above-knee prosthetic femoropopliteal bypass (Pedersen et al). 2006;43:729-34
- Heparin-bonded expanded polytetrafluoroethylene vascular graft for femoropopliteal and femorocrural bypass grafting: 1-year results (Bosiers et al); (Mills) (Commentary). 2006;43:313-19
- Regarding "Value of the duplex waveform at the common femoral artery for diagnosing obstructive aortoiliac disease" (Kapadia et al) (Letter); (Spronk and Pattynama) (Reply). 2006;43:428
- Remote endarterectomy: lessons learned after more than 100 cases (Martin et al). 2006;43:320-6
- Results of percutaneous subintimal angioplasty using routine stenting (Treiman et al). 2006;43:513-19
- Size of normal and aneurysmal popliteal arteries: a duplex ultrasound study (Wolf et al). 2006;43:488-92
- Techniques for large sheath insertion during endovascular thoracic aortic aneurysm repair (Parmer and Carpenter). 2006;43:A62-8

Femoral vein

- Patient characteristics and physician-determined variables affecting saphenofemoral reflux recurrence after ligation and stripping of the great saphenous vein (Fischer et al). 2006;43:81-7, 81.e1-e8
- Technique of contemporary iliofemoral and infrainguinal venous thrombectomy (Comerota and Gale). 2006;43:185-91 (Tech. Note). Correction 2006;43:874-7

Fibrin fibrinogen degradation products

- Prospective evaluation of the relationship between C-reactive protein, D-dimer and progression of peripheral arterial disease (Musicant et al); (Myers) (Commentary). 2006;43:772-80

Fibroblast growth factors

- The wrapping method using biodegradable felt strips has a preventive effect on the thinning of the aortic wall: experimental study in the canine aorta (Fujiwara et al). 2006;43:349-56

Fluoroscopy

- Intraprocedural imaging: thoracic aortography techniques, intravascular ultrasound, and special equipment (White et al). 2006;43:A53-61

Foot

- Meta-analysis of popliteal-to-distal vein bypass grafts for critical ischemia (Albers et al). 2006;43:498-503, 498.e1-e8

Forearm

- Regarding "Autogenous radial-cephalic or prosthetic brachial-antecubital forearm loop AVF in patients with compromised vessels? A randomized multicenter study of the pa-

tency of primary hemodialysis access" (Turmel-Rodrigues and Bourquelot) (Letter); (Rooijens) (Reply). 2006;43:1315

Foreign-body migration

Acrylic cement pulmonary embolus masquerading as an embolized central venous catheter fragment (MacTaggart et al). 2006;43:180-3 (Case rep.)

Fungemia

Graft-enteric erosion with fungal septic emboli (Clouse and Brewster). 2006;43:184

G

Gastrointestinal hemorrhage

Endovascular management of hepatic artery pseudoaneurysm hemorrhage complicating pancreaticoduodenectomy (Harvey et al). 2006;43:613-17 (Case rep.)

Gene expression

Downregulation of desmuslin in primary vein incompetence (Yin et al). 2006;43:372-8

Temporal changes in mouse aortic wall gene expression during the development of elastase-induced abdominal aortic aneurysms (Vickle-Chavez et al). 2006;43:1010-20

Genetic predisposition to disease

Regarding "eNOS G894T polymorphism as a mild predisposing factor for abdominal aortic aneurysm" (Sandrim). 2006;43:1079 (Letter)

Gene transfer techniques

Lipoplex gene transfer of inducible nitric oxide synthase inhibits the reactive intimal hyperplasia after expanded polytetrafluoroethylene bypass grafting (Pfeiffer et al). 2006;43:1021-7

Giant-cell temporal arteritis; see Temporal arteritis

Glomerular filtration rate

Glomerular filtration rate is a predictor of mortality after endovascular abdominal aortic aneurysm repair (Azizzadeh et al). 2006;43:14-18

Gluteal region; see Buttocks

Graft occlusion, vascular

Activation of the peroxynitrite-poly(adenosine diphosphate-ribose) polymerase pathway during neointima proliferation: a new target to prevent restenosis after endarterectomy (Beller et al). 2006;43:824-30

Adjunctive primary stenting of Zenith endograft limbs during endovascular abdominal aortic aneurysm repair: implications for limb patency (Sivamurthy et al). 2006;43:662-70

Endovascular repair of proximal endograft collapse after treatment for thoracic aortic disease (Steinbauer et al). 2006;43:609-12 (Case rep.)

Lipoplex gene transfer of inducible nitric oxide synthase inhibits the reactive intimal hyperplasia after expanded polytetrafluoroethylene bypass grafting (Pfeiffer et al). 2006;43:1021-7

Long-term inhibition of Rho kinase suppresses intimal thickening in autologous vein grafts in rabbits (Furuyama et al). 2006;43:1249-56

Results of PREVENT III: a multicenter, randomized trial of edifoligide for the prevention of vein graft failure in lower extremity bypass surgery (Conte et al); (Mills) (Commentary). 2006;43:742-51, 742.e1-e11

Short-term dexamethasone treatment inhibits vein graft thickening in hypercholesterolemic ApoE3Leiden transgenic mice (Schepers et al). 2006;43:809-15

Transforming growth factor- β 1 antisense treatment of rat vein

grafts reduces the accumulation of collagen and increases the accumulation of h-caldesmon (Wolff et al). 2006;43:1028-36

Graft survival

Meta-analysis of popliteal-to-distal vein bypass grafts for critical ischemia (Albers et al). 2006;43:498-503, 498.e1-e8

Two-year outcome with preferential use of infrainguinal angioplasty for critical ischemia (Haider et al). 2006;43:504-12, 504.e1-e11

Granulocyte-macrophage colony-stimulating factor

Granulocyte-monocyte colony-stimulating factor stimulates arteriogenesis in a pig model of peripheral artery disease using clinically applicable infusion pumps (Grundmann et al). 2006;43:1263-9

Guidelines

Screening for asymptomatic cardiovascular disease with noninvasive imaging in patients at high-risk and low-risk according to the European Guidelines on Cardiovascular Disease Prevention: the SMART study (Goessens et al). 2006;43:525-32

H

Health care costs

Other people's money: ethics, finances, and bad outcomes (Jones et al). 2006;43:863-5

Perioperative myocardial ischemic injury in high-risk vascular surgery patients: incidence and clinical significance in a prospective clinical trial (Mackey et al). 2006;43:533-8

Heart catheterization

Evaluation of risk factors associated with femoral pseudoaneurysms after cardiac catheterization (Ates et al). 2006;43:520-4

Heart failure, congestive

Delayed presentation of traumatic aortocaval fistula: a report of two cases and a review of the associated compensatory hemodynamic and structural changes (Spencer et al). 2006;43:836-40 (Case rep.)

Hemodialysis; see Renal dialysis

Hemodynamics

Delayed presentation of traumatic aortocaval fistula: a report of two cases and a review of the associated compensatory hemodynamic and structural changes (Spencer et al). 2006;43:836-40 (Case rep.)

Hemodynamic and morphologic evaluation of sequelae of primary upper extremity deep venous thromboses treated with anticoagulation (Persson et al); (Walsh) (Commentary). 2006;43:1230-5

Reduction in deep vein reflux after concomitant subfascial endoscopic perforating vein surgery and superficial vein ablation in advanced primary chronic venous insufficiency (Ting et al). 2006;43:546-50

Hemorheology

Decreased wall shear stress in the common carotid artery of patients with peripheral arterial disease or abdominal aortic aneurysm: relation to blood rheology, vascular risk factors, and intima-media thickness (Spring et al); (Hiatt) (Commentary). 2006;43:56-63

Hemorrhage

Use of an endovascular occlusion balloon for control of unremitting venous hemorrhage (Tillman et al). 2006;43:399-400 (Case rep.)

Hemostasis

Reduced lung function in patients with abdominal aortic aneu-

rysm is associated with activation of inflammation and hemostasis, not smoking or cardiovascular disease (Fowkes et al). 2006;43:474-80

Heparin

Heparin-bonded expanded polytetrafluoroethylene vascular graft for femoropopliteal and femorocrural bypass grafting: 1-year results (Bosiers et al); (Mills) (Commentary). 2006;43:313-19

Heparin immobilization reduces thrombogenicity of small-caliber expanded polytetrafluoroethylene grafts (Heyligers et al). 2006;43:587-91

Heparin, low-molecular-weight

Experimental pulmonary embolism: effects of the thrombus and attenuation of pulmonary artery injury by low-molecular-weight heparin (Rectenwald et al). 2006;43:800-8

Hepatic artery

Endovascular management of hepatic artery pseudoaneurysm hemorrhage complicating pancreaticoduodenectomy (Harvey et al). 2006;43:613-17 (Case rep.)

Large hepatic artery aneurysm with portal vein fistula (Stanziale et al). 2006;43:631

Reconstructive surgery for segmental arterial mediolysis involving both the internal carotid artery and visceral arteries (Obara et al). 2006;43:623-6 (Case rep.)

Hepatic vein thrombosis

Primary Budd-Chiari syndrome: outcome of endovascular management for suprahepatic venous obstruction (Lee et al). 2006;43:101-8

Hydroxymethylglutaryl-CoA reductase inhibitors

Regarding "3-Hydroxy-3-methylglutaryl coenzyme A reductase inhibitors reduce the risk of perioperative stroke and mortality after carotid endarterectomy" (Kok and Koppert) (Letter); (Perler et al) (Reply). 2006;43:643-5

Hypercholesterolemia

Short-term dexamethasone treatment inhibits vein graft thickening in hypercholesterolemic ApoE3Leiden transgenic mice (Scheepers et al). 2006;43:809-15

Hyperplasia

Lipoplex gene transfer of inducible nitric oxide synthase inhibits the reactive intimal hyperplasia after expanded polytetrafluoroethylene bypass grafting (Pfeiffer et al). 2006;43:1021-7

Reduction of myointimal hyperplasia after arterial anastomosis by local injection of transforming growth factor β 3 (Ghosh et al). 2006;43:142-9

Hypotension

Analysis of parameters associated with hypotension requiring vasopressor support after carotid angioplasty and stenting (Trocciola et al). 2006;43:714-20

Hypoxia-inducible factor 1, alpha subunit

Increased endogenous angiogenic response and hypoxia-inducible factor-1 α in human critical limb ischemia (Ho et al). 2006;43:125-33

I

Iatrogenic disease

Reducing duplex examinations in patients with iatrogenic pseudoaneurysms (Stone et al). 2006;43:1211-5

Iliac aneurysm

Endovascular treatment of iliac artery aneurysms with a tubular stent-graft: mid-term results (Tiellu et al). 2006;43:440-5

Late reintervention for aortic graft-related events and new aortoiliac disease after open abdominal aortic aneurysm

repair in an Australian population (Adam et al); (Naylor) (Commentary). 2006;43:701-6

Progressive growth of a pelvic collection five years after endovascular aneurysm repair: an atypical presentation of an asymptomatic contained rupture (Bladt et al). 2006;43:172-6 (Case rep.)

Iliac artery

Beyond the aortic bifurcation: branched endovascular grafts for thoracoabdominal and aortoiliac aneurysms (Greenberg et al); (Fillinger) (Commentary). 2006;43:879-87

Concomitant unilateral internal iliac artery embolization and endovascular infrarenal aortic aneurysm repair (Lee et al). 2006;43:903-7

Endovascular management of iliac artery occlusions: extending treatment to TransAtlantic Inter-Society Consensus class C and D patients (Leville et al). 2006;43:32-9

The importance of iliac fixation in prevention of stent graft migration (Heikkinen et al); (Chuter) (Commentary). 2006;43:1130-7

Internal thoracic artery-inferior epigastric artery as a collateral pathway in aortoiliac occlusive disease (Yurdakul et al). 2006;43:707-13

Late reintervention for aortic graft-related events and new aortoiliac disease after open abdominal aortic aneurysm repair in an Australian population (Adam et al); (Naylor) (Commentary). 2006;43:701-6

A new technique for hypogastric artery embolization (Linares-Palomino et al); (Baxter) (Commentary). 2006;43:1064-9 (Tech. Note)

Regarding "Value of the duplex waveform at the common femoral artery for diagnosing obstructive aortoiliac disease" (Kapadia et al) (Letter); (Spronk and Pattynama) (Reply). 2006;43:428

Remote endarterectomy: lessons learned after more than 100 cases (Martin et al). 2006;43:320-6

Shifting Wallgraft position: case reports and review of the forces affecting Wallgraft positioning (Whittaker et al). 2006;43:383-7 (Case rep.)

Successful percutaneous treatment of gluteal claudication secondary to isolated bilateral hypogastric stenoses (Chaer et al). 2006;43:165-8 (Case rep.)

Techniques for large sheath insertion during endovascular thoracic aortic aneurysm repair (Parmer and Carpenter). 2006;43:A62-8

Iliac vein

Technique of contemporary iliofemoral and infrainguinal venous thrombectomy (Comerota and Gale). 2006;43:185-91 (Tech. Note). Correction 2006;43:874-7

Use of an endovascular occlusion balloon for control of unremitting venous hemorrhage (Tillman et al). 2006;43:399-400 (Case rep.)

Indoles

Activation of the peroxynitrite-poly(adenosine diphosphate-ribose) polymerase pathway during neointima proliferation: a new target to prevent restenosis after endarterectomy (Beller et al). 2006;43:824-30

Inducible nitric oxide synthase; see Nitric oxide synthase type II

Industry

Consultation or corruption? The ethics of signing on to the medical-industrial complex (Jones et al). 2006;43:192-5

Inferior mesenteric artery; see Mesenteric artery, inferior

Inflammation

Inflammatory responses involving tumor necrosis factor receptor-associated factor 6 contribute to in-stent lesion formation in a stent implantation model of rabbit carotid artery (Miyahara et al). 2006;43:592-600

Reduced lung function in patients with abdominal aortic aneurysm is associated with activation of inflammation and hemostasis, not smoking or cardiovascular disease (Fowkes et al). 2006;43:474-80

Infusion pumps

Granulocyte-monocyte colony-stimulating factor stimulates arteriogenesis in a pig model of peripheral artery disease using clinically applicable infusion pumps (Grundmann et al). 2006;43:1263-9

INO 1001; see Indoles**Insurance**

From premiums to payouts: who's behind the malpractice crisis, anyway? (Jones et al). 2006;43:635-8

Insurance, health

Ethics of payor's specialist physicians credentialing (Jones and McCullough). 2006;43:1073-5 (Editorial)

Insurance, major medical

Other people's money: ethics, finances, and bad outcomes (Jones et al). 2006;43:863-5

Intermediate filament proteins

Downregulation of desmuslin in primary vein incompetence (Yin et al). 2006;43:372-8

Intermittent claudication

The constitutive procoagulant and hypofibrinolytic state in patients with intermittent claudication due to infrainguinal disease significantly improves with percutaneous transluminal balloon angioplasty (Hobbs et al). 2006;43:40-6

High-energy phosphate metabolism during incremental calf exercise in patients with unilaterally symptomatic peripheral arterial disease measured by phosphor 31 magnetic resonance spectroscopy (Greiner et al). 2006;43:978-86

Metabolic syndrome impairs physical function, health-related quality of life, and peripheral circulation in patients with intermittent claudication (Gardner et al); (Hiatt) (Commentary). 2006;43:1191-7

Postoperative outcomes for patients undergoing elective revascularization for critical limb ischemia and intermittent claudication: a subanalysis of the Coronary Artery Revascularization Prophylaxis (CARP) trial (Raghunathan et al). 2006;43:1175-82

Internship and residency

Continuity of care experience of residents in an academic vascular department: are trainees learning complete surgical care? (Gagnon et al). 2006;43:999-1003

Intubation, gastrointestinal

Regarding "Evidence for early nasogastric tube removal after infrarenal aortic surgery: a randomized trial" (Walsh et al) (Letter); (Gouëffic and Rozec) (Reply). 2006;43:645-6

Ischemia

The bone marrow-derived endothelial progenitor cell response is impaired in delayed wound healing from ischemia (Bauer et al). 2006;43:134-41

Increased endogenous angiogenic response and hypoxia-inducible factor-1 α in human critical limb ischemia (Ho et al). 2006;43:125-33

Meta-analysis of popliteal-to-distal vein bypass grafts for critical ischemia (Albers et al). 2006;43:498-503, 498.e1-e8

Parenteral therapy with lipo-ecraprost, a lipid-based formula-

tion of a PGE1 analog, does not alter six-month outcomes in patients with critical leg ischemia (Brass et al). 2006;43:752-9

Postoperative outcomes for patients undergoing elective revascularization for critical limb ischemia and intermittent claudication: a subanalysis of the Coronary Artery Revascularization Prophylaxis (CARP) trial (Raghunathan et al). 2006;43:1175-82

Proximalization of the arterial inflow: a new technique to treat access-related ischemia (Zanow et al); (Fillinger) (Commentary). 2006;43:1216-21

Results of percutaneous subintimal angioplasty using routine stenting (Treiman et al). 2006;43:513-19

Results of PREVENT III: a multicenter, randomized trial of edifoligide for the prevention of vein graft failure in lower extremity bypass surgery (Conte et al); (Mills) (Commentary). 2006;43:742-51, 742.e1-e11

Two-year outcome with preferential use of infrainguinal angioplasty for critical ischemia (Haider et al). 2006;43:504-12, 504.e1-e11

Wound healing and functional outcomes after infrainguinal bypass with reversed saphenous vein for critical limb ischemia (Chung et al). 2006;43:1183-90

Ischemic colitis; see Colitis, ischemic

Ischemic heart disease; see Myocardial ischemia

J**Journal of Vascular Surgery**

CME credit now available for selected articles (Cronenwett and Seeger). 2006;43:1 (Editorial)

Jugular veins

The nonoperative management of penetrating internal jugular vein injury (Inaba et al). 2006;43:77-80

K**Kidney**

Endovascular aneurysm repair with suprarenal vs infrarenal fixation: a study of renal effects (Parmer and Carpenter). 2006;43:19-25, 19.e1-e9

Kidney failure

Prevention of renal failure in patients undergoing thoracoabdominal aortic aneurysm repair (Jacobs et al). 2004;40:1067-73. Correction 2006;43:429

Regarding "Prevention of renal failure in patients undergoing thoracoabdominal aortic aneurysm repair" (Jacobs et al) (Letter); (Cronenwett and Seeger) (Reply). 2006;43:428-9

Kidney failure, acute

Acute renal failure after endovascular vs open repair of abdominal aortic aneurysm (Wald et al); (Hansen) (Commentary). 2006;43:460-6, 460.e1-e9

Klippel-Trenaunay-Weber syndrome

Popliteal artery aneurysm associated with Klippel-Trénaunay syndrome: case report and literature review (Akagi et al). 2006;43:2256-8 (Case rep.)

Splenic malformation in a patient with Klippel-Trenaunay syndrome: a case report (Jindal et al). 2006;43:848-50 (Case rep.)

L**Lacerations**

Repair of a blunt traumatic inferior vena cava laceration with

commercially available endografts (Sam et al). 2006;43:841-3 (Case rep.)

Laparoscopy

Laparoscopy-assisted abdominal aortic aneurysm repair: early and middle-term results of a consecutive series of 122 cases (Ferrari et al). 2006;43:695-700

Totally laparoscopic assisted thoracic aorta endograft delivery by direct sheath placement into the aorta (Fukui et al). 2006;43:1274-7 (Case rep.)

Laser surgery

Diffuse phlegmonous phlebitis after endovenous laser treatment of the greater saphenous vein (Dunst et al). 2006;43:1056-8 (Case rep.)

Outcome of different endovenous laser wavelengths for great saphenous vein ablation (Kabnick). 2006;43:88-93, 88.e1-e7

Regarding "Laser therapy and radiofrequency ablation of the great saphenous vein: analysis of early efficacy and complications" (Bush) (Letter); (Puggioni et al) (Reply). 2006;43:642-3

Leg

The constitutive procoagulant and hypofibrinolytic state in patients with intermittent claudication due to infrainguinal disease significantly improves with percutaneous transluminal balloon angioplasty (Hobbs et al). 2006;43:40-6

Development of reflux in the perforator veins in limbs with primary venous disease (Labropoulos et al). 2006;43:558-62

Digital venous photoplethysmography in the seated position is a reproducible noninvasive measure of lower limb venous function in patients with isolated superficial venous reflux (Sam et al). 2006;43:335-41

The effect of ultrasound-guided sclerotherapy of incompetent perforator veins on venous clinical severity and disability scores (Masuda et al); (Walsh) (Commentary). 2006;43:551-7

High-energy phosphate metabolism during incremental calf exercise in patients with unilaterally symptomatic peripheral arterial disease measured by phosphor 31 magnetic resonance spectroscopy (Greiner et al). 2006;43:978-86

Increased endogenous angiogenic response and hypoxia-inducible factor-1 α in human critical limb ischemia (Ho et al). 2006;43:125-33

Parenteral therapy with lipo-ecraprost, a lipid-based formulation of a PGE1 analog, does not alter six-month outcomes in patients with critical leg ischemia (Brass et al). 2006;43:752-9

Postoperative outcomes for patients undergoing elective revascularization for critical limb ischemia and intermittent claudication: a subanalysis of the Coronary Artery Revascularization Prophylaxis (CARP) trial (Raghunathan et al). 2006;43:2154-61

Presentation of the patient with recurrent varices after surgery (REVAS) (Perrin et al); (Eklöf) (Commentary). 2006;43:327-34

Regarding "Limb-salvage angioplasty in vascular surgery practice" (Parakh et al) (Letter); (Tefera) (Reply). 2006;43:199

Wound healing and functional outcomes after infrainguinal bypass with reversed saphenous vein for critical limb ischemia (Chung et al). 2006;43:1183-90

Leg injuries

Operative and nonoperative management of children aged 13

years or younger with arterial trauma of the extremities (Lazarides et al); (Dalsing) (Commentary). 2006;43:72-6

Leg ulcer

Efficacy of topical pale sulfonated shale oil in the treatment of venous leg ulcers: a randomized, controlled, multicenter study (Beckert et al). 2006;43:94-100

Letters to the Editor

Regarding "Autogenous radial-cephalic or prosthetic brachial-antecubital forearm loop AVF in patients with compromised vessels? A randomized multicenter study of the patency of primary hemodialysis access" (Turmel-Rodrigues and Bourquelot) (Letter); (Roosijens) (Reply). 2006;43:1315

Regarding "Cerebral microembolization after protected carotid artery stenting in surgical high-risk patients: results of a 2-year prospective study" (Limet) (Letter); (Hammer) (Reply). 2006;43:1314

Regarding: "Endovascular management of spontaneous carotid artery dissection" (Norris and Menon) (Letter); (Mackey et al) (Replies). 2006;43:869-70

Regarding "eNOS G894T polymorphism as a mild predisposing factor for abdominal aortic aneurysm" (Sandrim). 2006;43:1079

Regarding "Evidence for early nasogastric tube removal after infrarenal aortic surgery: a randomized trial" (Walsh et al) (Letter); (Gouëffic and Rozec) (Reply). 2006;43:645-6

Regarding "Giant splenic artery aneurysms: case report and review of the literature" (Hernández-Lahoz and Garcia-Casas) (Letter); (Pescarus et al) (Reply). 2006;43:641

Regarding "3-Hydroxy-3-methylglutaryl coenzyme A reductase inhibitors reduce the risk of perioperative stroke and mortality after carotid endarterectomy" (Kok and Koppert) (Letter); (Perler et al) (Reply). 2006;43:643-5

Regarding "Improvement in the visualization of superficial arm veins being evaluated for access and bypass" (Planken et al) (Letter); (van Bemmelen et al) (Reply). 2006;43:646

Regarding: "Initial experience with eversion carotid endarterectomy: absence of a learning curve for the first 100 patients" (Baracchini et al) (Letter); (Brothers) (Reply). 2006;43:1078-9

Regarding "Laser therapy and radiofrequency ablation of the great saphenous vein: analysis of early efficacy and complications" (Bush) (Letter); (Puggioni et al) (Reply). 2006;43:642-3

Regarding "Lifeline registry of endovascular aneurysm repair: long-term primary outcome measures" (Manning) (Letter); (Zarins) (Reply). 2006;43:199-200

Regarding "Limb-salvage angioplasty in vascular surgery practice" (Parakh et al) (Letter); (Tefera) (Reply). 2006;43:199

Regarding "Long-term results of carotid stenting are competitive with surgery" (Chang and Stein) (Letter); (Bergeron) (Reply). 2006;43:870

Regarding "Midterm outcome of endovascular repair of ruptured abdominal aortic aneurysms (Metcalfe). 2006;43:1079

Regarding: "Patching versus primary closure for carotid endarterectomy" (Chan et al) (Letter); (Rockman) (Reply). 2006;43:868-9

Regarding "Prevention of renal failure in patients undergoing thoracoabdominal aortic aneurysm repair" (Jacobs et al) (Letter); (Cronenwett and Seeger) (Reply). 2006;43:428-9

Regarding "Value of the duplex waveform at the common

femoral artery for diagnosing obstructive aortoiliac disease" (Kapadia et al) (Letter); (Spronk and Pattynama) (Reply). 2006;43:428

Ligation

Patient characteristics and physician-determined variables affecting saphenofemoral reflux recurrence after ligation and stripping of the great saphenous vein (Fischer et al). 2006;43:81-7, 81.e1-e8

Replanting the inferior mesentery artery during infrarenal aortic aneurysm repair: influence on postoperative colon ischemia (Senekowitsch et al). 2006;43:689-94

Limb salvage

Meta-analysis of popliteal-to-distal vein bypass grafts for critical ischemia (Albers et al). 2006;43:498-503, 498.e1-e8

Regarding "Limb-salvage angioplasty in vascular surgery practice" (Parakh et al) (Letter); (Tefera) (Reply). 2006;43:199

Results of percutaneous subintimal angioplasty using routine stenting (Treiman et al). 2006;43:513-19

Two-year outcome with preferential use of infrainguinal angioplasty for critical ischemia (Haider et al). 2006;43:504-12, 504.e1-e11

Lipids

Effect of a clinical pharmacy service on lipid control in patients with peripheral arterial disease (Rehring et al). 2006;43:1205-10

Lipo-ecraprost; *see* Alprostadil; Prodrugs

Lipoplex; *see* Liposomes

Liposomes

Lipoplex gene transfer of inducible nitric oxide synthase inhibits the reactive intimal hyperplasia after expanded polytetrafluoroethylene bypass grafting (Pfeiffer et al). 2006;43:1021-7

Reconstitution of CD39 in liposomes amplifies nucleoside triphosphate diphosphohydrolase activity and restores thromboregulatory properties (Haller et al). 2006;43:816-23

Lower extremity

Internal thoracic artery-inferior epigastric artery as a collateral pathway in aortoiliac occlusive disease (Yurdakul et al). 2006;43:707-13

Results of PREVENT III: a multicenter, randomized trial of edifoligide for the prevention of vein graft failure in lower extremity bypass surgery (Conte et al); (Mills) (Commentary). 2006;43:742-51, 742.e1-e11

Role of adhesion molecules in the induction of restenosis after angioplasty in the lower limb (Heider et al); (Conte) (Commentary). 2006;43:969-77

Low-molecular-weight heparin; *see* Heparin, low-molecular-weight

M

Magnetic resonance spectroscopy

High-energy phosphate metabolism during incremental calf exercise in patients with unilaterally symptomatic peripheral arterial disease measured by phosphor 31 magnetic resonance spectroscopy (Greiner et al). 2006;43:978-86

Malpractice

From premiums to payouts: who's behind the malpractice crisis, anyway? (Jones et al). 2006;43:635-8

A helping hand bitten: an ethical response to medical malpractice suits (Jones et al). 2006;43:422-5

Mass screening

Cost-effectiveness of screening women for abdominal aortic

aneurysm (Wanhainen et al); (Kent) (Commentary). 2006;43:908-14

Screening for asymptomatic cardiovascular disease with noninvasive imaging in patients at high-risk and low-risk according to the European Guidelines on Cardiovascular Disease Prevention: the SMART study (Goessens et al). 2006;43:525-32

Matrix metalloproteinases

A biologic basis for asymmetric growth in descending thoracic aortic aneurysms: a role for matrix metalloproteinase 9 and 2 (Sinha et al). 2006;43:342-8

Mesenteric arteries

The meandering mesenteric artery or central anastomotic artery (Connolly). 2006;43:1059

Mesenteric artery, inferior

Factors predictive of early or late aneurysm sac size change following endovascular repair (Fairman et al). 2006;43:649-56

Replanting the inferior mesentery artery during infrarenal aortic aneurysm repair: influence on postoperative colon ischemia (Senekowitsch et al). 2006;43:689-94

Mesenteric artery, superior

Reconstructive surgery for segmental arterial mediolysis involving both the internal carotid artery and visceral arteries (Obara et al). 2006;43:623-6 (Case rep.)

Visceral vessel relocation techniques (Farber). 2006;43:A81-4

Meta-analysis

Meta-analysis of popliteal-to-distal vein bypass grafts for critical ischemia (Albers et al). 2006;43:498-503, 498.e1-e8

Metabolic syndrome X

Metabolic syndrome impairs physical function, health-related quality of life, and peripheral circulation in patients with intermittent claudication (Gardner et al); (Hiatt) (Commentary). 2006;43:2163-9

Mice, transgenic

Short-term dexamethasone treatment inhibits vein graft thickening in hypercholesterolemic ApoE3Leiden transgenic mice (Scheepers et al). 2006;43:809-15

Microcirculation

Use of microcirculatory parameters to evaluate chronic venous insufficiency (Virgini-Magalhães et al). 2006;43:1037-44

Microscopic angiography

Correlation of severity of chronic venous disease with capillary morphology assessed by capillary microscopy (Howlader and Smith). 2006;43:563-9

Midwestern Vascular Surgical Society

Vascular and endovascular surgeon: the vascular specialist for the 21st century and beyond (Gloviczki). 2006;43:412-21 (Presidential Address)

Models, statistical

Optimal prediction of mortality after abdominal aortic aneurysm repair with statistical models (Hadjianastassiou et al). 2006;43:467-73, 467.e1-e10. Correction 2006;43:877

Monocytes

Monocyte recruitment in venous thrombus resolution (Ali et al). 2006;43:601-8

Motor evoked potentials; *see* Evoked potentials, motor

Muscle, smooth, vascular

Reduction of myointimal hyperplasia after arterial anastomosis by local injection of transforming growth factor β 3 (Ghosh et al). 2006;43:142-9

Mycoses

Infected carotid pseudoaneurysm and carotid-cutaneous fistula

as a late complication of carotid artery stenting (Kaviani et al). 2006;43:379-82 (Case rep.)

Myocardial ischemia

Detection of carotid stenosis in African Americans with ischemic heart disease (Rajamani et al). 2006;43:1162-5

Perioperative myocardial ischemic injury in high-risk vascular surgery patients: incidence and clinical significance in a prospective clinical trial (Mackey et al). 2006;43:533-8

Myocytes, smooth muscle

Bone morphogenetic protein 4: potential regulator of shear stress-induced graft neointimal atrophy (Hsieh et al). 2006;43:150-8

Synthetic smooth muscle cell phenotype is associated with increased nicotinamide adenine dinucleotide phosphate oxidase activity: effect on collagen secretion (Patel et al). 2006;43:364-71

N

NADPH oxidase

Synthetic smooth muscle cell phenotype is associated with increased nicotinamide adenine dinucleotide phosphate oxidase activity: effect on collagen secretion (Patel et al). 2006;43:364-71

Neck injuries

The nonoperative management of penetrating internal jugular vein injury (Inaba et al). 2006;43:77-80

Neovascularization, pathologic

Increased endogenous angiogenic response and hypoxia-inducible factor-1 α in human critical limb ischemia (Ho et al). 2006;43:125-33

Neovascularization, physiologic

Granulocyte-monocyte colony-stimulating factor stimulates arteriogenesis in a pig model of peripheral artery disease using clinically applicable infusion pumps (Grundmann et al). 2006;43:1263-9

Neural networks (computer)

Optimal prediction of mortality after abdominal aortic aneurysm repair with statistical models (Hadjianastassiou et al). 2006;43:467-73, 467.e1-e10. Correction 2006;43:877

Neutrophil antimicrobial peptide α -defensin; *see* alpha-Defensins

Nicotinamide adenine dinucleotide phosphate oxidase; *see* NADPH oxidase

Nitric oxide

Oxygen-radical regulation of renal blood flow following supra-renal aortic clamping (Myers et al). 2006;43:577-86

Nitric oxide synthase type II

Lipoplex gene transfer of inducible nitric oxide synthase inhibits the reactive intimal hyperplasia after expanded polytetrafluoroethylene bypass grafting (Pfeiffer et al). 2006;43:1021-7

Nitric oxide synthase type III

Regarding "eNOS G894T polymorphism as a mild predisposing factor for abdominal aortic aneurysm" (Sandrim). 2006;43:1079 (Letter)

O

Obesity

Obesity, weight change, and functional decline in peripheral arterial disease (McDermott et al). 2006;43:1198-204

Oligonucleotides

Results of PREVENT III: a multicenter, randomized trial of edifoligide for the prevention of vein graft failure in lower

extremity bypass surgery (Conte et al); (Mills) (Commentary). 2006;43:742-51, 742.e1-e11

Outcome assessment (health care); *see also* Treatment outcome

Carotid artery stenting in octogenarians is associated with increased adverse outcomes (Stanziale et al). 2006;43:297-304

Current results of open surgical repair of descending thoracic aortic aneurysms (Black and Cambria). 2006;43:A6-11

A decade of change in abdominal aortic aneurysm repair in the United States: have we improved outcomes equally between men and women? (Dillavou et al); (Lindsay) (Commentary). 2006;43:230-8

Defining the high-risk patient for carotid endarterectomy: an analysis of the prospective National Surgical Quality Improvement Program database (Stoner et al); (Kresowik) (Commentary). 2006;43:285-96, 285.e1-e13

Early outcomes after elective and emergent endovascular repair of the thoracic aorta (Iyer et al). 2006;43:677-83

Endovascular management of iliac artery occlusions: extending treatment to TransAtlantic Inter-Society Consensus class C and D patients (Leville et al). 2006;43:32-9

Endovascular repair of acute type B aortic dissection: early and mid-term results (Xu et al). 2006;43:2091-6

Factors affecting outcomes of open surgical repair of pararenal aortic aneurysms: a 10-year experience (West et al). 2006;43:921-8, 921.e1-e8

Improving aneurysm-related outcomes: nationwide benefits of endovascular repair (Dillavou et al). 2006;43:446-52

Laparoscopy-assisted abdominal aortic aneurysm repair: early and middle-term results of a consecutive series of 122 cases (Ferrari et al). 2006;43:695-700

Long-term results of carotid stenting are competitive with surgery (Bergeron et al). 2005;41:213-21. Correction 2006;43:871-3

Meta-analysis of popliteal-to-distal vein bypass grafts for critical ischemia (Albers et al). 2006;43:498-503, 498.e1-e8

Operative and nonoperative management of children aged 13 years or younger with arterial trauma of the extremities (Lazarides et al); (Dalsing) (Commentary). 2006;43:72-6

Outcomes of endovascular treatment of ruptured abdominal aortic aneurysms (Greco et al). 2006;43:453-9, 453.e1-e8

Perioperative myocardial ischemic injury in high-risk vascular surgery patients: incidence and clinical significance in a prospective clinical trial (Mackey et al). 2006;43:533-8

A personal experience with coronary artery bypass grafting, carotid patching, and other factors influencing the outcome of carotid endarterectomy (Hertzer and Mascha). 2006;43:959-68, 959.e1-e14

Reducing duplex examinations in patients with iatrogenic pseudoaneurysms (Stone et al). 2006;43:2183-7

Regarding "3-Hydroxy-3-methylglutaryl coenzyme A reductase inhibitors reduce the risk of perioperative stroke and mortality after carotid endarterectomy" (Kok and Koppert) (Letter); (Perler et al) (Reply). 2006;43:643-5

Regarding "Lifeline registry of endovascular aneurysm repair: long-term primary outcome measures" (Manning) (Letter); (Zarins) (Reply). 2006;43:199-200

Regarding "Limb-salvage angioplasty in vascular surgery practice" (Parakh et al) (Letter); (Tefera) (Reply). 2006;43:199

Regarding "Long-term results of carotid stenting are competitive with surgery" (Chang and Stein) (Letter); (Bergeron) (Reply). 2006;43:870

Regarding "Midterm outcome of endovascular repair of rup-

- tured abdominal aortic aneurysms (Metcalf). 2006;43:1079 (Letter)
- Regarding: "Patching versus primary closure for carotid endarterectomy" (Chan et al) (Letter); (Rockman) (Reply). 2006;43:868-9
- Remote endarterectomy: lessons learned after more than 100 cases (Martin et al). 2006;43:320-6
- Surgical management of popliteal artery aneurysms: which factors affect outcomes? (Pulli et al). 2006;43:481-7
- Takayasu's arteritis: operative results and influence of disease activity (Fields et al). 2006;43:64-71. Correction 2006;43:648
- Totally percutaneous aortic aneurysm repair: experience and prudence (Starnes et al). 2006;43:270-6
- Treatment of asymptomatic carotid artery disease: similar early outcomes after carotid stenting for high-risk patients and endarterectomy for standard-risk patients (Marine et al). 2006;43:953-8
- Trends, complications, and mortality in peripheral vascular surgery (Nowygrod et al). 2006;43:205-16
- Two-year outcome with preferential use of infrainguinal angioplasty for critical ischemia (Haider et al). 2006;43:504-12, 504.e1-e11
- US multicenter trials of endoprostheses for the endovascular treatment of descending thoracic aneurysms (Cho et al). 2006;43:A12-19
- The value of motor evoked potentials in reducing paraplegia during thoracoabdominal aneurysm repair (Jacobs et al). 2006;43:239-46
- Vocal cord paralysis after aortic arch surgery: predictors and clinical outcome (Ohta et al). 2006;43:721-8
- Worldwide survey of thoracic endografts: practical clinical application (Matsumura). 2006;43:A20-1
- Oxygen radicals; see Reactive oxygen species**

P

- Paget-Schroetter syndrome; see Venous thrombosis**
- Pale sulfonated shale oil; see Quaternary ammonium compounds**
- Pancreas**
- Thrombin injection of a pancreaticoduodenal artery pseudoaneurysm after failed attempts at transcatheter embolization (Ghassemi et al). 2006;43:618-22 (Case rep.)
- Pancreatic elastase**
- Temporal changes in mouse aortic wall gene expression during the development of elastase-induced abdominal aortic aneurysms (Vickle-Chavez et al). 2006;43:1010-20
- Pancreaticoduodenectomy**
- Endovascular management of hepatic artery pseudoaneurysm hemorrhage complicating pancreaticoduodenectomy (Harvey et al). 2006;43:613-17 (Case rep.)
- Papaverine**
- Flow measurement before and after papaverine injection in above-knee prosthetic femoropopliteal bypass (Pedersen et al). 2006;43:729-34
- Paraplegia**
- Cold spinoplegia and transvertebral cooling pad reduce spinal cord injury during thoracoabdominal aortic surgery (Isaka et al). 2006;43:1257-62
- The value of motor evoked potentials in reducing paraplegia during thoracoabdominal aneurysm repair (Jacobs et al). 2006;43:239-46

Pasteurella multocida

- Aortic endograft infection due to *Pasteurella multocida* following a rabbit bite (Silberfein et al). 2006;43:393-5 (Case rep.)

Pelvis

- Progressive growth of a pelvic collection five years after endovascular aneurysm repair: an atypical presentation of an asymptomatic contained rupture (Bladt et al). 2006;43:172-6 (Case rep.)

Percutaneous transluminal angioplasty; see Angioplasty, balloon

Perioperative care

- Perioperative β -blocker therapy in vascular surgery: clinical update (Hackam). 2006;43:632-4

Peripheral vascular diseases

- Effect of a clinical pharmacy service on lipid control in patients with peripheral arterial disease (Rehring et al). 2006;43:1205-10
- Granulocyte-monocyte colony-stimulating factor stimulates arteriogenesis in a pig model of peripheral artery disease using clinically applicable infusion pumps (Grundmann et al). 2006;43:1263-9
- High-energy phosphate metabolism during incremental calf exercise in patients with unilaterally symptomatic peripheral arterial disease measured by phosphor 31 magnetic resonance spectroscopy (Greiner et al). 2006;43:978-86
- Obesity, weight change, and functional decline in peripheral arterial disease (McDermott et al). 2006;43:2170-6
- Prospective evaluation of the relationship between C-reactive protein, D-dimer and progression of peripheral arterial disease (Musicant et al); (Myers) (Commentary). 2006;43:772-80
- Revascularization for peripheral vascular disease in Aboriginal and non-Aboriginal patients (Goulet et al). 2006;43:735-41
- Trends, complications, and mortality in peripheral vascular surgery (Nowygrod et al). 2006;43:205-16

Pharmaceutical services

- Effect of a clinical pharmacy service on lipid control in patients with peripheral arterial disease (Rehring et al). 2006;43:1205-10

Phenotype

- Downregulation of desmuslin in primary vein incompetence (Yin et al). 2006;43:372-8
- Synthetic smooth muscle cell phenotype is associated with increased nicotinamide adenine dinucleotide phosphate oxidase activity: effect on collagen secretion (Patel et al). 2006;43:364-71

Phosphates

- High-energy phosphate metabolism during incremental calf exercise in patients with unilaterally symptomatic peripheral arterial disease measured by phosphor 31 magnetic resonance spectroscopy (Greiner et al). 2006;43:978-86

Photoplethysmography

- Digital venous photoplethysmography in the seated position is a reproducible noninvasive measure of lower limb venous function in patients with isolated superficial venous reflux (Sam et al). 2006;43:335-41

Physical fitness

- Metabolic syndrome impairs physical function, health-related quality of life, and peripheral circulation in patients with intermittent claudication (Gardner et al); (Hiatt) (Commentary). 2006;43:1191-7

Physicians

- Ethics of payor's specialist physicians credentialing (Jones and McCullough). 2006;43:1073-5 (Editorial)
- From premiums to payouts: who's behind the malpractice crisis, anyway? (Jones et al). 2006;43:635-8

Platelet aggregation

- Reconstitution of CD39 in liposomes amplifies nucleoside triphosphate diphosphohydrolase activity and restores thromboregulatory properties (Haller et al). 2006;43:816-23

Pneumococcal infections

- Pneumococcal aortitis: a difficult preoperative diagnosis (Teng et al). 2006;43:177-9 (Case rep.)

Poly(ADP-ribose) polymerases

- Activation of the peroxynitrite-poly(adenosine diphosphate-ribose) polymerase pathway during neointima proliferation: a new target to prevent restenosis after endarterectomy (Beller et al). 2006;43:824-30
- Valsartan improves resting skin blood flow in type 2 diabetic patients and reduces poly(adenosine diphosphate-ribose) polymerase activation (Shrikhande et al); (Dalman) (Commentary). 2006;43:760-71

Polyethylene glycols

- Stroke after varicose vein foam injection sclerotherapy (Forlee et al). 2006;43:162-4 (Case rep.)

Polyglycolic acid

- The wrapping method using biodegradable felt strips has a preventive effect on the thinning of the aortic wall: experimental study in the canine aorta (Fujiwara et al). 2006;43:349-56

Polymethyl methacrylate

- Acrylic cement pulmonary embolus masquerading as an embolized central venous catheter fragment (MacTaggart et al). 2006;43:180-3 (Case rep.)

Polymorphism (genetics)

- Regarding "eNOS G894T polymorphism as a mild predisposing factor for abdominal aortic aneurysm" (Sandrim). 2006;43:1079 (Letter)

Polytetrafluoroethylene

- The development of endotension is associated with increased transmission of pressure and serous components in porous expanded polytetrafluoroethylene stent-grafts: characterization using a canine model (Trocciola et al). 2006;43:109-16
- Heparin-bonded expanded polytetrafluoroethylene vascular graft for femoropopliteal and femorocrural bypass grafting: 1-year results (Bosiers et al); (Mills) (Commentary). 2006;43:313-19
- Heparin immobilization reduces thrombogenicity of small-caliber expanded polytetrafluoroethylene grafts (Heyligers et al). 2006;43:587-91
- Lipoplex gene transfer of inducible nitric oxide synthase inhibits the reactive intimal hyperplasia after expanded polytetrafluoroethylene bypass grafting (Pfeiffer et al). 2006;43:1021-7
- The wrapping method using biodegradable felt strips has a preventive effect on the thinning of the aortic wall: experimental study in the canine aorta (Fujiwara et al). 2006;43:349-56

Popliteal artery

- Acute compartment syndrome: an unusual complication of a previously bypassed popliteal aneurysm—case report and literature review (Batt et al). 2006;43:1049-52 (Case rep.)

- Flow measurement before and after papaverine injection in above-knee prosthetic femoropopliteal bypass (Pedersen et al). 2006;43:729-34

- Heparin-bonded expanded polytetrafluoroethylene vascular graft for femoropopliteal and femorocrural bypass grafting: 1-year results (Bosiers et al); (Mills) (Commentary). 2006;43:313-19

- Popliteal artery aneurysm associated with Klippel-Trénaunay syndrome: case report and literature review (Akagi et al). 2006;43:2256-8 (Case rep.)

- The posterior approach for repair of popliteal artery aneurysms (Beseth and Moore). 2006;43:940-5

- Results of percutaneous subintimal angioplasty using routine stenting (Treiman et al). 2006;43:513-19

- Size of normal and aneurysmal popliteal arteries: a duplex ultrasound study (Wolf et al). 2006;43:488-92

- Surgical management of popliteal artery aneurysms: which factors affect outcomes? (Pulli et al). 2006;43:481-7

Popliteal vein

- Meta-analysis of popliteal-to-distal vein bypass grafts for critical ischemia (Albers et al). 2006;43:498-503, 498.e1-e8

Portal vein

- Large hepatic artery aneurysm with portal vein fistula (Stanziale et al). 2006;43:631

Postoperative complications

- Acrylic cement pulmonary embolus masquerading as an embolized central venous catheter fragment (MacTaggart et al). 2006;43:180-3 (Case rep.)

- Acute compartment syndrome: an unusual complication of a previously bypassed popliteal aneurysm—case report and literature review (Batt et al). 2006;43:1049-52 (Case rep.)

- Acute renal failure after endovascular vs open repair of abdominal aortic aneurysm (Wald et al); (Hansen) (Commentary). 2006;43:460-6, 460.e1-e9

- Analysis of parameters associated with hypotension requiring vasopressor support after carotid angioplasty and stenting (Trocciola et al). 2006;43:714-20

- Are type II endoleaks after endovascular aneurysm repair endograft dependent? (Sheehan et al). 2006;43:657-61

- Cerebral ischemia associated with PercuSurge balloon occlusion balloon during carotid stenting: incidence and possible mechanisms (Chaer et al). 2006;43:946-52

- Complications for thoracic aortic endografts: spinal cord ischemia and stroke (Sullivan and Sundt). 2006;43:A85-8

- Contrast-enhanced Duplex surveillance after endovascular abdominal aortic aneurysm repair: improved efficacy using a continuous infusion technique (Henao et al); (Forbes) (Commentary). 2006;43:259-64

- The development of endotension is associated with increased transmission of pressure and serous components in porous expanded polytetrafluoroethylene stent-grafts: characterization using a canine model (Trocciola et al). 2006;43:109-16

- Diffuse phlegmonous phlebitis after endovenous laser treatment of the greater saphenous vein (Dunst et al). 2006;43:1056-8 (Case rep.)

- Endovascular management of hepatic artery pseudoaneurysm hemorrhage complicating pancreaticoduodenectomy (Harvey et al). 2006;43:613-17 (Case rep.)

- Evaluation of risk factors associated with femoral pseudoaneurysms after cardiac catheterization (Ates et al). 2006;43:520-4

- Factors predictive of early or late aneurysm sac size change

- following endovascular repair (Fairman et al). 2006;43:649-56
- Increased incidence of cerebral clamping ischemia during early contralateral carotid endarterectomy (Marrocco-Trischitta et al). 2006;43:1155-61
- Increased psychiatric morbidity after abdominal aortic surgery: risk factors for stress-related disorders (Liberzon et al). 2006;43:929-34
- Late complications of thoracic endografts (Kasijaran et al). 2006;43:A94-9
- Late reintervention for aortic graft-related events and new aortoiliac disease after open abdominal aortic aneurysm repair in an Australian population (Adam et al); (Naylor) (Commentary). 2006;43:701-6
- Perioperative myocardial ischemic injury in high-risk vascular surgery patients: incidence and clinical significance in a prospective clinical trial (Mackey et al). 2006;43:533-8
- Postoperative imaging surveillance and endoleak management after endovascular repair of thoracic aortic aneurysms (Stavropoulos and Carpenter). 2006;43:A89-93
- Prevention of renal failure in patients undergoing thoracoabdominal aortic aneurysm repair (Jacobs et al). 2004;40:1067-73. Correction 2006;43:429
- Reduction of myointimal hyperplasia after arterial anastomosis by local injection of transforming growth factor β 3 (Ghosh et al). 2006;43:142-9
- Regarding: "Initial experience with eversion carotid endarterectomy: absence of a learning curve for the first 100 patients" (Baracchini et al) (Letter); (Brothers) (Reply). 2006;43:1078-9
- Regarding "Laser therapy and radiofrequency ablation of the great saphenous vein: analysis of early efficacy and complications" (Bush) (Letter); (Puggioni et al) (Reply). 2006;43:642-3
- Regarding "Prevention of renal failure in patients undergoing thoracoabdominal aortic aneurysm repair" (Jacobs et al) (Letter); (Cronenwett and Seeger) (Reply). 2006;43:428-9
- Replanting the inferior mesentery artery during infrarenal aortic aneurysm repair: influence on postoperative colon ischemia (Senekowitsch et al). 2006;43:689-94
- Role of adhesion molecules in the induction of restenosis after angioplasty in the lower limb (Heider et al); (Conte) (Commentary). 2006;43:969-77
- Sac enlargement due to seroma after endovascular abdominal aortic aneurysm repair with the Endologix PowerLink device (Nano et al). 2006;43:169-71 (Case rep.)
- Three-dimensional analysis of enlarging aneurysms after endovascular abdominal aortic aneurysm repair in the Gore Excluder Pivotal clinical trial (Fillinger). 2006;43:888-95
- Totally percutaneous aortic aneurysm repair: experience and prudence (Starnes et al). 2006;43:270-6
- Trends, complications, and mortality in peripheral vascular surgery (Nowygrod et al). 2006;43:205-16
- Vocal cord paralysis after aortic arch surgery: predictors and clinical outcome (Ohta et al). 2006;43:721-8
- Postoperative period**
- Optimal prediction of mortality after abdominal aortic aneurysm repair with statistical models (Hadjianastassiou et al). 2006;43:467-73, 467.e1-e10. Correction 2006;43:877
- Practice guidelines**
- Current guidelines produce competent endovascular surgeons (Weaver et al). 2006;43:992-8
- Meeting AHA/ACC secondary prevention goals in a vascular surgery practice: an opportunity we cannot afford to miss (Kinikini et al). 2006;43:781-7
- Preface**
- Preface. 2006;43:A1-2
- Preoperative care**
- Pneumococcal aortitis: a difficult preoperative diagnosis (Teng et al). 2006;43:177-9 (Case rep.)
- Prodrugs**
- Parenteral therapy with lipo-ecraprost, a lipid-based formulation of a PGE1 analog, does not alter six-month outcomes in patients with critical leg ischemia (Brass et al). 2006;43:752-9
- Professional competence**
- Simulator assessment of innate endovascular aptitude versus empirically correct performance (Hislop et al). 2006;43:47-55
- Professional practice**
- A helping hand bitten: an ethical response to medical malpractice suits (Jones et al). 2006;43:422-5
- Meeting AHA/ACC secondary prevention goals in a vascular surgery practice: an opportunity we cannot afford to miss (Kinikini et al). 2006;43:781-7
- Prostaglandin E1; see Alprostadil**
- Prosthesis failure**
- Endovascular treatment of an abdominal aortic pseudoaneurysm as a late complication of an inferior vena cava filter placement (Medina et al). 2006;43:1278-82 (Case rep.)
- An evaluation of centerline of flow measurement techniques to assess migration after thoracic endovascular aneurysm repair (O'Neill et al). 2006;43:2105-12
- The importance of iliac fixation in prevention of stent graft migration (Heikkinen et al); (Chuter) (Commentary). 2006;43:2116-24
- Secondary interventions following endovascular abdominal aortic aneurysm repair using current endografts. A EUROSTAR report (Hobo and Buth). 2006;43:896-902, 896.e1-e8
- Symptomatic collapse of a thoracic aorta endoprosthesis (Mestres et al). 2006;43:1270-3 (Case rep.)
- Three-dimensional analysis of enlarging aneurysms after endovascular abdominal aortic aneurysm repair in the Gore Excluder Pivotal clinical trial (Fillinger). 2006;43:888-95
- Prosthesis-related infections**
- Evolution from axillofemoral to *in situ* prosthetic reconstruction for the treatment of aortic graft infections at a single center (Oderich et al). 2006;43:1166-74
- Graft-enteric erosion with fungal septic emboli (Clouse and Brewster). 2006;43:184
- Protein C**
- Activated protein C/protein C inhibitor complex: a new biological marker for aortic aneurysms (Kölbel et al). 2006;43:935-9
- Protein C inhibitor**
- Activated protein C/protein C inhibitor complex: a new biological marker for aortic aneurysms (Kölbel et al). 2006;43:935-9
- Pseudoaneurysm; see Aneurysm, false**
- Publications**
- Consensus statement on surgery journal authorship. 2006;43:1299
- Pulmonary artery**
- Experimental pulmonary embolism: effects of the thrombus

and attenuation of pulmonary artery injury by low-molecular-weight heparin (Rectenwald et al). 2006;43:800-8

Pulmonary disease, chronic obstructive

Reduced lung function in patients with abdominal aortic aneurysm is associated with activation of inflammation and hemostasis, not smoking or cardiovascular disease (Fowkes et al). 2006;43:474-80

Pulmonary embolism

Acrylic cement pulmonary embolus masquerading as an embolized central venous catheter fragment (MacTaggart et al). 2006;43:180-3 (Case rep.)

Experimental pulmonary embolism: effects of the thrombus and attenuation of pulmonary artery injury by low-molecular-weight heparin (Rectenwald et al). 2006;43:800-8

Q

Quality of life

Metabolic syndrome impairs physical function, health-related quality of life, and peripheral circulation in patients with intermittent claudication (Gardner et al); (Hiatt) (Commentary). 2006;43:1191-6

Quaternary ammonium compounds

Efficacy of topical pale sulfonated shale oil in the treatment of venous leg ulcers: a randomized, controlled, multicenter study (Beckert et al). 2006;43:94-100

R

Radiofrequency ablation; see Catheter ablation

Reactive oxygen species

Oxygen-radical regulation of renal blood flow following supra-renal aortic clamping (Myers et al). 2006;43:577-86

Receptors, chemokine

Monocyte recruitment in venous thrombus resolution (Ali et al). 2006;43:601-8

Receptors, tumor necrosis factor

Inflammatory responses involving tumor necrosis factor receptor-associated factor 6 contribute to in-stent lesion formation in a stent implantation model of rabbit carotid artery (Miyahara et al). 2006;43:592-600

Reconstructive surgical procedures

Reconstructive surgery for segmental arterial mediolysis involving both the internal carotid artery and visceral arteries (Obara et al). 2006;43:623-6 (Case rep.)

Referral and consultation

Consultation or corruption? The ethics of signing on to the medical-industrial complex (Jones et al). 2006;43:192-5

Regional blood flow

Proximalization of the arterial inflow: a new technique to treat access-related ischemia (Zanow et al); (Fillinger) (Commentary). 2006;43:1216-21

Renal artery

Complex thoracoabdominal aortic aneurysms: endovascular exclusion with visceral revascularization (Black et al); (Quinones-Baldrich) (Commentary). 2006;43:2081-90

Outcomes of accessory renal artery occlusion during endovascular aneurysm repair (Karmacharya et al). 2006;43:8-13

Renal circulation

Oxygen-radical regulation of renal blood flow following supra-renal aortic clamping (Myers et al). 2006;43:577-86

Renal dialysis

Acute renal failure after endovascular vs open repair of abdominal aortic aneurysm (Wald et al); (Hansen) (Commentary). 2006;43:460-6, 460.e1-e9

Regarding "Autogenous radial-cephalic or prosthetic brachial-antecubital forearm loop AVF in patients with compromised vessels? A randomized multicenter study of the patency of primary hemodialysis access" (Turmel-Rodrigues and Bourquelot) (Letter); (Roosijens) (Reply). 2006;43:2273-4

Renal veins

Renal venous diversion: an unusual treatment for renal vein thrombosis (Ho et al). 2006;43:1283-6 (Case rep.)

Replantation

Replanting the inferior mesentery artery during infrarenal aortic aneurysm repair: influence on postoperative colon ischemia (Senekowitsch et al). 2006;43:689-94

Reproducibility of results

Regarding "Improvement in the visualization of superficial arm veins being evaluated for access and bypass" (Planken et al) (Letter); (van Bemmelen et al) (Reply). 2006;43:646

Respiratory function tests

Reduced lung function in patients with abdominal aortic aneurysm is associated with activation of inflammation and hemostasis, not smoking or cardiovascular disease (Fowkes et al). 2006;43:474-80

Revascularization

Complex thoracoabdominal aortic aneurysms: endovascular exclusion with visceral revascularization (Black et al); (Quinones-Baldrich) (Commentary). 2006;43:1081-9

The constitutive procoagulant and hypofibrinolytic state in patients with intermittent claudication due to infrainguinal disease significantly improves with percutaneous transluminal balloon angioplasty (Hobbs et al). 2006;43:40-6

Endovascular management of iliac artery occlusions: extending treatment to TransAtlantic Inter-Society Consensus class C and D patients (Leville et al). 2006;43:32-9

Flow measurement before and after papaverine injection in above-knee prosthetic femoropopliteal bypass (Pedersen et al). 2006;43:729-34

Postoperative outcomes for patients undergoing elective revascularization for critical limb ischemia and intermittent claudication: a subanalysis of the Coronary Artery Revascularization Prophylaxis (CARP) trial (Raghunathan et al). 2006;43:1175-82

Results of PREVENT III: a multicenter, randomized trial of edifoligide for the prevention of vein graft failure in lower extremity bypass surgery (Conte et al); (Mills) (Commentary). 2006;43:742-51, 742.e1-e11

Revascularization for peripheral vascular disease in Aboriginal and non-Aboriginal patients (Goulet et al). 2006;43:735-41

Utility of left subclavian artery revascularization in association with endoluminal repair of acute and chronic thoracic aortic pathology (Peterson et al). 2006;43:433-9

Rho-associated kinase

Long-term inhibition of Rho kinase suppresses intimal thickening in autologous vein grafts in rabbits (Furuyama et al). 2006;43:1249-56

Rho kinase; see Rho-associated kinase

Risk

Regarding "3-Hydroxy-3-methylglutaryl coenzyme A reductase inhibitors reduce the risk of perioperative stroke and mortality after carotid endarterectomy" (Kok and Koppert) (Letter); (Perler et al) (Reply). 2006;43:643-5

Risk assessment

Thirty-day mortality statistics underestimate the risk of repair

of thoracoabdominal aortic aneurysm: a statewide experience (Rigberg et al); (Huber) (Commentary). 2006;43:217-23

Risk factors

Decreased wall shear stress in the common carotid artery of patients with peripheral arterial disease or abdominal aortic aneurysm: relation to blood rheology, vascular risk factors, and intima-media thickness (Spring et al); (Hiatt) (Commentary). 2006;43:56-63

Defining the high-risk patient for carotid endarterectomy: an analysis of the prospective National Surgical Quality Improvement Program database (Stoner et al); (Kresowik) (Commentary). 2006;43:285-96, 285.e1-e13

Evaluation of risk factors associated with femoral pseudoaneurysms after cardiac catheterization (Ates et al). 2006;43:520-4

Factors affecting outcomes of open surgical repair of pararenal aortic aneurysms: a 10-year experience (West et al). 2006;43:921-8, 921.e1-e8

Increased psychiatric morbidity after abdominal aortic surgery: risk factors for stress-related disorders (Liberzon et al). 2006;43:929-34

A personal experience with coronary artery bypass grafting, carotid patching, and other factors influencing the outcome of carotid endarterectomy (Hertzer and Mascha). 2006;43:959-68, 959.e1-e14

Screening for asymptomatic cardiovascular disease with noninvasive imaging in patients at high-risk and low-risk according to the European Guidelines on Cardiovascular Disease Prevention: the SMART study (Goessens et al). 2006;43:525-32

RNA, antisense

Transforming growth factor- β 1 antisense treatment of rat vein grafts reduces the accumulation of collagen and increases the accumulation of h-caldesmon (Wolff et al). 2006;43:1028-36

S

Saphenous vein

Diffuse phlegmonous phlebitis after endovenous laser treatment of the greater saphenous vein (Dunst et al). 2006;43:1056-8 (Case rep.)

Downregulation of desmuslin in primary vein incompetence (Yin et al). 2006;43:372-8

Outcome of different endovenous laser wavelengths for great saphenous vein ablation (Kabnick). 2006;43:88-93, 88.e1-e7

Patient characteristics and physician-determined variables affecting saphenofemoral reflux recurrence after ligation and stripping of the great saphenous vein (Fischer et al). 2006;43:81-7, 81.e1-e8

Regarding "Laser therapy and radiofrequency ablation of the great saphenous vein: analysis of early efficacy and complications" (Bush) (Letter); (Puggioni et al) (Reply). 2006;43:642-3

Wound healing and functional outcomes after infrainguinal bypass with reversed saphenous vein for critical limb ischemia (Chung et al). 2006;43:1183-90

Sarcoma

Soft tissue sarcomas may present with deep vein thrombosis (Benis et al). 2006;43:788-93

Sclerotherapy

The effect of ultrasound-guided sclerotherapy of incompetent

perforator veins on venous clinical severity and disability scores (Masuda et al); (Walsh) (Commentary). 2006;43:551-7

Stroke after varicose vein foam injection sclerotherapy (Forlee et al). 2006;43:162-4 (Case rep.)

Seroma

Sac enlargement due to seroma after endovascular abdominal aortic aneurysm repair with the Endologix PowerLink device (Nano et al). 2006;43:169-71 (Case rep.)

Severity of illness index

Correlation of severity of chronic venous disease with capillary morphology assessed by capillary microscopy (Howlader and Smith). 2006;43:563-9

Sex factors

A decade of change in abdominal aortic aneurysm repair in the United States: have we improved outcomes equally between men and women? (Dillavou et al); (Lindsay) (Commentary). 2006;43:230-8

Simvastatin

Simvastatin suppresses experimental aortic aneurysm expansion (Kalyanasundaram et al). 2006;43:117-24, 117.e1-e39

Skin

Valsartan improves resting skin blood flow in type 2 diabetic patients and reduces poly(adenosine diphosphate-ribose) polymerase activation (Shrikhande et al); (Dalman) (Commentary). 2006;43:760-71

Smoking

Reduced lung function in patients with abdominal aortic aneurysm is associated with activation of inflammation and hemostasis, not smoking or cardiovascular disease (Fowkes et al). 2006;43:474-80

Smooth muscle cells; see Myocytes, smooth muscle

Soft tissue sarcoma; see Sarcoma

Spinal cord injuries

Cold spinoplegia and transvertebral cooling pad reduce spinal cord injury during thoracoabdominal aortic surgery (Isaka et al). 2006;43:1257-62

Spinal cord ischemia

Complications for thoracic aortic endografts: spinal cord ischemia and stroke (Sullivan and Sundt). 2006;43:A85-8

Splenic artery

Regarding "Giant splenic artery aneurysms: case report and review of the literature" (Hernández-Lahoz and García-Casas) (Letter); (Pescarus et al) (Reply). 2006;43:641

Splenomegaly

Splenic malformation in a patient with Klippel-Trenaunay syndrome: a case report (Jindal et al). 2006;43:848-50 (Case rep.)

Stem cells

The bone marrow-derived endothelial progenitor cell response is impaired in delayed wound healing from ischemia (Bauer et al). 2006;43:134-41

Stenosis; see Constriction, pathologic

Stents

Adjunctive primary stenting of Zenith endograft limbs during endovascular abdominal aortic aneurysm repair: implications for limb patency (Sivamurthy et al). 2006;43:662-70

Analysis of parameters associated with hypotension requiring vasopressor support after carotid angioplasty and stenting (Trocciola et al). 2006;43:714-20

Aortic dissection: perspectives in the era of stent-graft repair (Atkins et al). 2006;43:A30-43

Aortic endograft infection due to *Pasteurella multocida* follow-

- ing a rabbit bite (Silberfein et al). 2006;43:393-5 (Case rep.)
- Are type II endoleaks after endovascular aneurysm repair endograft dependent? (Sheehan et al). 2006;43:657-61
- Beyond the aortic bifurcation: branched endovascular grafts for thoracoabdominal and aortoiliac aneurysms (Greenberg et al); (Fillinger) (Commentary). 2006;43:879-87
- Branched and fenestrated stent grafts for endovascular repair of thoracic aortic aneurysms (Chuter). 2006;43:A111-15
- Carotid artery stenting in octogenarians is associated with increased adverse outcomes (Stanziale et al). 2006;43:297-304
- Carotid string sign (Kashyap and Clair). 2006;43:401
- Complex thoracoabdominal aortic aneurysms: endovascular exclusion with visceral revascularization (Black et al); (Quinones-Baldrich) (Commentary). 2006;43:1081-9
- Consistency in endovascular aneurysm repair suitability assessment requires group decision audit (Rödel et al). 2006;43:671-6
- Current status of carotid artery stenting (Goodney et al). 2006;43:406-11
- The development of endotension is associated with increased transmission of pressure and serous components in porous expanded polytetrafluoroethylene stent-grafts: characterization using a canine model (Trocciola et al). 2006;43:109-16
- Early outcomes after elective and emergent endovascular repair of the thoracic aorta (Iyer et al). 2006;43:677-83
- Emergent stent-graft treatment for rupture (Farber). 2006;43:A44-7
- Endograft exclusion of acute and chronic descending thoracic aortic dissections (Song et al). 2006;43:247-58
- Endograft treatment of ruptured abdominal aortic aneurysms using the Talent aortouniliac system: an international multicenter study (Peppelenbosch et al); (May) (Commentary). 2006;43:2113-14
- Endovascular aneurysm repair with suprarenal vs infrarenal fixation: a study of renal effects (Parmer and Carpenter). 2006;43:19-25, 19.e1-e9
- Endovascular management of thoracic aortic aneurysms. Pre-operative imaging and device sizing (Kougias et al). 2006;43:A48-52
- Endovascular repair of acute type B aortic dissection: early and mid-term results (Xu et al). 2006;43:1090-5
- Endovascular treatment of iliac artery aneurysms with a tubular stent-graft: mid-term results (Tielliu et al). 2006;43:440-5
- An evaluation of centerline of flow measurement techniques to assess migration after thoracic endovascular aneurysm repair (O'Neill et al). 2006;43:1103-10
- Evaluation of the complexity of open abdominal aneurysm repair in the era of endovascular stent grafting (Costin et al). 2006;43:915-20
- Factors predictive of early or late aneurysm sac size change following endovascular repair (Fairman et al). 2006;43:649-56
- The importance of iliac fixation in prevention of stent graft migration (Heikinen et al); (Chuter) (Commentary). 2006;43:1130-7
- Infected carotid pseudoaneurysm and carotid-cutaneous fistula as a late complication of carotid artery stenting (Kaviani et al). 2006;43:379-82 (Case rep.)
- Inflammatory responses involving tumor necrosis factor receptor-associated factor 6 contribute to in-stent lesion formation in a stent implantation model of rabbit carotid artery (Miyahara et al). 2006;43:592-600
- Long-term outcome after Talent endograft implantation for aneurysms of the abdominal aorta: a multicenter retrospective study (Torsello et al); (Buth) (Commentary). 2006;43:277-84
- Long-term results of carotid stenting are competitive with surgery (Bergeron et al). 2005;41:213-21. Correction 2006;43:871-3
- Management of in-stent restenosis after carotid artery stenting in high-risk patients (Zhou et al). 2006;43:305-12
- A new technique for hypogastric artery embolization (Linares-Palomino et al); (Baxter) (Commentary). 2006;43:1064-9 (Tech. Note)
- Percutaneous techniques for aneurysm repair (Morasch). 2006;43:A69-72
- Regarding "Cerebral microembolization after protected carotid artery stenting in surgical high-risk patients: results of a 2-year prospective study" (Limet) (Letter); (Hammer) (Reply). 2006;43:1314
- Regarding: "Endovascular management of spontaneous carotid artery dissection" (Norris and Menon) (Letter); (Mackey et al) (Replies). 2006;43:869-70
- Regarding "Long-term results of carotid stenting are competitive with surgery" (Chang and Stein) (Letter); (Bergeron) (Reply). 2006;43:870
- Regarding "Midterm outcome of endovascular repair of ruptured abdominal aortic aneurysms (Metcalf). 2006;43:1079 (Letter)
- Results of percutaneous subintimal angioplasty using routine stenting (Treiman et al). 2006;43:513-19
- Secondary interventions following endovascular abdominal aortic aneurysm repair using current endografts. A EUROSTAR report (Hobo and Buth). 2006;43:896-902, 896.e1-e8
- Sheath-assisted controlled deployment technique for Excluder bifurcated main body (Lee and Nelson). 2006;43:1060-3 (Tech. Note)
- Shifting Wallgraft position: case reports and review of the forces affecting Wallgraft positioning (Whittaker et al). 2006;43:383-7 (Case rep.)
- Stenting of vertebrobasilar arteries in symptomatic atherosclerotic disease and acute occlusion: case series and review of the literature (Eberhardt et al). 2006;43:1145-54
- Successful endovascular repair of a ruptured abdominal aortic aneurysm in a patient with unfavorable anatomy (Grey et al). 2006;43:831-3 (Case rep.)
- Successful percutaneous treatment of gluteal claudication secondary to isolated bilateral hypogastric stenoses (Chaer et al). 2006;43:165-8 (Case rep.)
- Technique for safe removal of an aortic endograft with suprarenal fixation (Koning et al). 2006;43:855-7 (Tech. Note)
- Technique of slow deployment of Gore Excluder endograft improves accuracy of placement (Minion et al). 2006;43:852-4 (Tech. Note)
- Three-dimensional analysis of enlarging aneurysms after endovascular abdominal aortic aneurysm repair in the Gore Excluder Pivotal clinical trial (Fillinger). 2006;43:888-95
- Timing of endovascular repair of blunt traumatic thoracic aortic transections (Reed et al). 2006;43:684-8
- True lumen re-entry devices facilitate subintimal angioplasty and stenting of total chronic occlusions: initial report (Jacobs et al); (Gloviczki) (Commentary). 2006;43:1297-8

- US multicenter trials of endoprostheses for the endovascular treatment of descending thoracic aneurysms (Cho et al). 2006;43:A12-19
- Utility of left subclavian artery revascularization in association with endoluminal repair of acute and chronic thoracic aortic pathology (Peterson et al). 2006;43:433-9
- Worldwide survey of thoracic endografts: practical clinical application (Matsumura). 2006;43:A20-1
- Stress disorders, post-traumatic**
- Increased psychiatric morbidity after abdominal aortic surgery: risk factors for stress-related disorders (Liberzon et al). 2006;43:929-34
- Stroke; see Cerebrovascular accident**
- Subclavian artery**
- Managing proximal arch vessels (Sanchez). 2006;43:A78-80
- Subclavian artery transposition and bypass techniques for use with endoluminal repair of acute and chronic thoracic aortic pathology (Morasch and Peterson). 2006;43:A73-7
- Utility of left subclavian artery revascularization in association with endoluminal repair of acute and chronic thoracic aortic pathology (Peterson et al). 2006;43:433-9
- Subclavian vein**
- Long-term thrombotic recurrence after nonoperative management of Paget-Schroetter syndrome (Lee et al). 2006;43:1236-43
- Surgery**
- Consensus statement on surgery journal authorship. 2006;43:2263
- Technical skills continue to improve beyond surgical training (Pandey et al). 2006;43:539-45
- Surgical equipment**
- Intraprocedural imaging: thoracic aortography techniques, intravascular ultrasound, and special equipment (White et al). 2006;43:A53-61
- Surgical Ethics Challenges**
- Consultation or corruption? The ethics of signing on to the medical-industrial complex (Jones et al). 2006;43:192-5
- From premiums to payouts: who's behind the malpractice crisis, anyway? (Jones et al). 2006;43:635-8
- A helping hand bitten: an ethical response to medical malpractice suits (Jones et al). 2006;43:422-5
- Other people's money: ethics, finances, and bad outcomes (Jones et al). 2006;43:863-5
- Surgical procedures, operative**
- Diagnosis and management of primary chylous ascites (Campisi et al). 2006;43:1244-8
- Surveys; see Data collection**

T

Takayasu's arteritis

- Takayasu's arteritis: operative results and influence of disease activity (Fields et al). 2006;43:64-71. Correction 2006;43:648

Technical Notes

- Technical Notes. 2006;43:185-91, 402-5, 852-7, 1060-9

Temporal arteritis

- Giant-cell temporal arteritis in a 17-year-old male (Pipinos et al). 2006;43:1053-5 (Case rep.)

Tensile strength

- Biomechanical properties of ruptured versus electively repaired abdominal aortic aneurysm wall tissue (Di Martino et al); (Henke) (Commentary). 2006;43:570-6

Tetrazoles

- Valartan improves resting skin blood flow in type 2 diabetic patients and reduces poly(adenosine diphosphate-ribose) polymerase activation (Shrikhande et al); (Dalman) (Commentary). 2006;43:760-71

Thoracic arteries

- Internal thoracic artery-inferior epigastric artery as a collateral pathway in aortoiliac occlusive disease (Yurdakul et al). 2006;43:707-13

Thoracic injuries

- Endovascular treatment of traumatic thoracic aortic injury—should this be the new standard of treatment? (Lin et al). 2006;43:A22-9
- Timing of endovascular repair of blunt traumatic thoracic aortic transections (Reed et al). 2006;43:684-8

Thoracotomy

- Endovascular repair of a proximal aortic arch aneurysm: a novel approach of supra-aortic debranching with antegrade endograft deployment via an anterior thoracotomy approach (Zhou et al). 2006;43:1045-8 (Case rep.)

Thrombectomy

- Technique of contemporary iliofemoral and infrainguinal venous thrombectomy (Comerota and Gale). 2006;43:185-91 (Tech. Note). Correction 2006;43:874-7

Thrombin

- Reducing duplex examinations in patients with iatrogenic pseudoaneurysms (Stone et al). 2006;43:2183-7
- Thrombin injection of a pancreaticoduodenal artery pseudoaneurysm after failed attempts at transcatheter embolization (Ghassemi et al). 2006;43:618-22 (Case rep.)

Thrombolytic therapy

- Percutaneous endovascular treatment of acute sequential systemic emboli (Russo et al). 2006;43:388-92 (Case rep.)

Thrombophlebitis

- Diffuse phlegmonous phlebitis after endovenous laser treatment of the greater saphenous vein (Dunst et al). 2006;43:1056-8 (Case rep.)

Thrombosis

- Experimental pulmonary embolism: effects of the thrombus and attenuation of pulmonary artery injury by low-molecular-weight heparin (Rectenwald et al). 2006;43:800-8
- Heparin immobilization reduces thrombogenicity of small-caliber expanded polytetrafluoroethylene grafts (Heyligers et al). 2006;43:587-91

Tomography, x-ray computed

- Aortic neck morphology after endovascular repair of descending thoracic aortic aneurysms (Hassoun et al). 2006;43:26-31
- A biologic basis for asymmetric growth in descending thoracic aortic aneurysms: a role for matrix metalloproteinase 9 and 2 (Sinha et al). 2006;43:342-8
- Contrast-enhanced Duplex surveillance after endovascular abdominal aortic aneurysm repair: improved efficacy using a continuous infusion technique (Henao et al); (Forbes) (Commentary). 2006;43:259-64
- Endovascular management of thoracic aortic aneurysms. Preoperative imaging and device sizing (Kougias et al). 2006;43:A48-52
- Screening and ultrasound surveillance of large aortic abdominal aneurysms do not improve suitability for endovascular repair (Thompson et al); (van der Vliet and Blankensteijn) (Commentary). 2006;43:265-9
- Three-dimensional analysis of enlarging aneurysms after endo-

- vascular abdominal aortic aneurysm repair in the Gore Excluder Pivotal clinical trial (Fillinger). 2006;43:888-95
- Transducers, pressure**
- Abdominal aortic aneurysm sac shrinkage after endovascular aneurysm repair: correlation with chronic sac pressure management (Ellozy et al). 2006;43:2-7. Correction 2006;43:647
- Transforming growth factor beta**
- Reduction of myointimal hyperplasia after arterial anastomosis by local injection of transforming growth factor β 3 (Ghosh et al). 2006;43:142-9
- Transforming growth factor- β 1 antisense treatment of rat vein grafts reduces the accumulation of collagen and increases the accumulation of h-caldesmon (Wolff et al). 2006;43:1028-36
- Transplantation, autologous**
- Long-term inhibition of Rho kinase suppresses intimal thickening in autologous vein grafts in rabbits (Furuyama et al). 2006;43:2222-9
- Treatment outcome; see also Outcome assessment (health care)**
- Age stratified, perioperative, and one-year mortality after abdominal aortic aneurysm repair: a statewide experience (Rigberg et al). 2006;43:224-9
- Aortic neck morphology after endovascular repair of descending thoracic aortic aneurysms (Hassoun et al). 2006;43:26-31
- Carotid artery aneurysm: evolution of management over two decades (Zhou et al); (Naylor) (Commentary). 2006;43:493-7
- The effect of ultrasound-guided sclerotherapy of incompetent perforator veins on venous clinical severity and disability scores (Masuda et al); (Walsh) (Commentary). 2006;43:551-7
- Efficacy of topical pale sulfonated shale oil in the treatment of venous leg ulcers: a randomized, controlled, multicenter study (Beckert et al). 2006;43:94-100
- Emergent stent-graft treatment for rupture (Farber). 2006;43:A44-7
- Endograft exclusion of acute and chronic descending thoracic aortic dissections (Song et al). 2006;43:247-58
- Endograft treatment of ruptured abdominal aortic aneurysms using the Talent aortouniiliac system: an international multicenter study (Peppelenbosch et al); (May) (Commentary). 2006;43:1111-23
- Endovascular management of traumatic ruptures of the thoracic aorta: a retrospective multicenter analysis of 28 cases in The Netherlands (Hoornweg et al); (Krasznai and Blankensteijn) (Commentary). 2006;43:1096-102
- Endovascular treatment of iliac artery aneurysms with a tubular stent-graft: mid-term results (Tielliu et al). 2006;43:440-5
- Evaluation of the complexity of open abdominal aneurysm repair in the era of endovascular stent grafting (Costin et al). 2006;43:915-20
- Glomerular filtration rate is a predictor of mortality after endovascular abdominal aortic aneurysm repair (Azizzadeh et al). 2006;43:14-18
- Hemodynamic and morphologic evaluation of sequelae of primary upper extremity deep venous thromboses treated with anticoagulation (Persson et al); (Walsh) (Commentary). 2006;43:1230-5
- Heparin-bonded expanded polytetrafluoroethylene vascular graft for femoropopliteal and femorocrural bypass grafting: 1-year results (Bosiers et al); (Mills) (Commentary). 2006;43:313-19
- Late reintervention for aortic graft-related events and new aortoiliac disease after open abdominal aortic aneurysm repair in an Australian population (Adam et al); (Naylor) (Commentary). 2006;43:701-6
- Long-term outcome after Talent endograft implantation for aneurysms of the abdominal aorta: a multicenter retrospective study (Torsello et al); (Buth) (Commentary). 2006;43:277-84
- Long-term thrombotic recurrence after nonoperative management of Paget-Schroetter syndrome (Lee et al). 2006;43:1249-56
- The nonoperative management of penetrating internal jugular vein injury (Inaba et al). 2006;43:77-80
- Optimal prediction of mortality after abdominal aortic aneurysm repair with statistical models (Hadjianastassiou et al). 2006;43:467-73, 467.e1-e10. Correction 2006;43:877
- Outcome of different endovenous laser wavelengths for great saphenous vein ablation (Kabnick). 2006;43:88-93, 88.e1-e7
- Outcomes of accessory renal artery occlusion during endovascular aneurysm repair (Karmacharya et al). 2006;43:8-13
- Parenteral therapy with lipo-ecraprost, a lipid-based formulation of a PGE1 analog, does not alter six-month outcomes in patients with critical leg ischemia (Brass et al). 2006;43:752-9
- The posterior approach for repair of popliteal artery aneurysms (Beseth and Moore). 2006;43:940-5
- Postoperative outcomes for patients undergoing elective revascularization for critical limb ischemia and intermittent claudication: a subanalysis of the Coronary Artery Revascularization Prophylaxis (CARP) trial (Raghunathan et al). 2006;43:1175-82
- Pretreatment with dextran 1 makes dextran 40 therapy safer (Ljungström). 2006;43:1070-2 (Editorial)
- Primary Budd-Chiari syndrome: outcome of endovascular management for suprahepatic venous obstruction (Lee et al). 2006;43:101-8
- Regarding: "Initial experience with eversion carotid endarterectomy: absence of a learning curve for the first 100 patients" (Baracchini et al) (Letter); (Brothers) (Reply). 2006;43:1078-9
- Regarding "Laser therapy and radiofrequency ablation of the great saphenous vein: analysis of early efficacy and complications" (Bush) (Letter); (Puggioni et al) (Reply). 2006;43:642-3
- Revascularization for peripheral vascular disease in Aboriginal and non-Aboriginal patients (Goulet et al). 2006;43:735-41
- Successful percutaneous treatment of gluteal claudication secondary to isolated bilateral hypogastric stenoses (Chaer et al). 2006;43:165-8 (Case rep.)
- Surgery of the abdominal aorta and its branches in children: late follow-up (Barral et al). 2006;43:1138-44
- Thirty-day mortality statistics underestimate the risk of repair of thoracoabdominal aortic aneurysm: a statewide experience (Rigberg et al); (Huber) (Commentary). 2006;43:217-23
- Wound healing and functional outcomes after infrainguinal bypass with reversed saphenous vein for critical limb ischemia (Chung et al). 2006;43:1183-90

Tunica intima

- Bone morphogenetic protein 4: potential regulator of shear stress-induced graft neointimal atrophy (Hsieh et al). 2006;43:150-8
- Decreased wall shear stress in the common carotid artery of patients with peripheral arterial disease or abdominal aortic aneurysm: relation to blood rheology, vascular risk factors, and intima-media thickness (Spring et al); (Hiatt) (Commentary). 2006;43:56-63
- Long-term inhibition of Rho kinase suppresses intimal thickening in autologous vein grafts in rabbits (Furuyama et al). 2006;43:2222-9

Tunica media

- Decreased wall shear stress in the common carotid artery of patients with peripheral arterial disease or abdominal aortic aneurysm: relation to blood rheology, vascular risk factors, and intima-media thickness (Spring et al); (Hiatt) (Commentary). 2006;43:56-63

U**Ultrasonography**

- The effect of ultrasound-guided sclerotherapy of incompetent perforator veins on venous clinical severity and disability scores (Masuda et al); (Walsh) (Commentary). 2006;43:551-7
- Screening and ultrasound surveillance of large aortic abdominal aneurysms do not improve suitability for endovascular repair (Thompson et al); (van der Vliet and Blankensteijn) (Commentary). 2006;43:265-9

Ultrasonography, Doppler, duplex

- Contrast-enhanced Duplex surveillance after endovascular abdominal aortic aneurysm repair: improved efficacy using a continuous infusion technique (Henao et al); (Forbes) (Commentary). 2006;43:259-64
- Reducing duplex examinations in patients with iatrogenic pseudoaneurysms (Stone et al). 2006;43:1211-5
- Regarding "Value of the duplex waveform at the common femoral artery for diagnosing obstructive aortoiliac disease" (Kapadia et al) (Letter); (Spronk and Pattynama) (Reply). 2006;43:428
- Size of normal and aneurysmal popliteal arteries: a duplex ultrasound study (Wolf et al). 2006;43:488-92

Ultrasonography, interventional

- Endovascular management of thoracic aortic aneurysms. Preoperative imaging and device sizing (Kougias et al). 2006;43:A48-52
- Intraprocedural imaging: thoracic aortography techniques, intravascular ultrasound, and special equipment (White et al). 2006;43:A53-61

United States Food and Drug Administration

- Anaphylactoid reactions to Dextran 40 and 70: reports to the United States Food and Drug Administration, 1969 to 2004 (Zinderman et al). 2006;43:1004-9

Upper extremity

- Hemodynamic and morphologic evaluation of sequelae of primary upper extremity deep venous thromboses treated with anticoagulation (Persson et al); (Walsh) (Commentary). 2006;43:1230-5

V**Valine**

- Valsartan improves resting skin blood flow in type 2 diabetic patients and reduces poly(adenosine diphosphate-ribose)

polymerase activation (Shrikhande et al); (Dalman) (Commentary). 2006;43:760-71

Valsartan; see Tetrazoles; Valine**Varicose ulcer**

- The effect of ultrasound-guided sclerotherapy of incompetent perforator veins on venous clinical severity and disability scores (Masuda et al); (Walsh) (Commentary). 2006;43:551-7
- Efficacy of topical pale sulfonated shale oil in the treatment of venous leg ulcers: a randomized, controlled, multicenter study (Beckert et al). 2006;43:94-100
- Reduction in deep vein reflux after concomitant subfascial endoscopic perforating vein surgery and superficial vein ablation in advanced primary chronic venous insufficiency (Ting et al). 2006;43:546-50

Varicose veins

- Correlation of severity of chronic venous disease with capillary morphology assessed by capillary microscopy (Howlader and Smith). 2006;43:563-9
- Development of reflux in the perforator veins in limbs with primary venous disease (Labropoulos et al). 2006;43:558-62
- Patient characteristics and physician-determined variables affecting saphenofemoral reflux recurrence after ligation and stripping of the great saphenous vein (Fischer et al). 2006;43:81-7, 81.e1-e8
- Presentation of the patient with recurrent varices after surgery (REVAS) (Perrin et al); (Eklöf) (Commentary). 2006;43:327-34
- Stroke after varicose vein foam injection sclerotherapy (Forlee et al). 2006;43:162-4 (Case rep.)

Vascular diseases

- Chlamydia pneumoniae* and vascular disease: an update (Mussa et al). 2006;43:1301-7
- Correlation of severity of chronic venous disease with capillary morphology assessed by capillary microscopy (Howlader and Smith). 2006;43:563-9
- Development of reflux in the perforator veins in limbs with primary venous disease (Labropoulos et al). 2006;43:558-62
- Reconstructive surgery for segmental arterial mediolysis involving both the internal carotid artery and visceral arteries (Obara et al). 2006;43:623-6 (Case rep.)

Vascular fistula

- Infected carotid pseudoaneurysm and carotid-cutaneous fistula as a late complication of carotid artery stenting (Kaviani et al). 2006;43:379-82 (Case rep.)
- Large hepatic artery aneurysm with portal vein fistula (Stanziale et al). 2006;43:631

Vascular Images

- Aortoduodenal syndrome (Takagi et al). 2006;43:851
- Carotid string sign (Kashyap and Clair). 2006;43:401
- Graft-enteric erosion with fungal septic emboli (Clouse and Brewster). 2006;43:184
- Large hepatic artery aneurysm with portal vein fistula (Stanziale et al). 2006;43:631
- The meandering mesenteric artery or central anastomotic artery (Connolly). 2006;43:1059

Vascular patency

- Adjunctive primary stenting of Zenith endograft limbs during endovascular abdominal aortic aneurysm repair: implications for limb patency (Sivamurthy et al). 2006;43:662-70
- Flow measurement before and after papaverine injection in

- above-knee prosthetic femoropopliteal bypass (Pedersen et al). 2006;43:729-34
- Meta-analysis of popliteal-to-distal vein bypass grafts for critical ischemia (Albers et al). 2006;43:498-503, 498.e1-e8
- Regarding "Autogenous radial-cephalic or prosthetic brachial-antecubital forearm loop AVF in patients with compromised vessels? A randomized multicenter study of the patency of primary hemodialysis access" (Turmel-Rodrigues and Bourquelot) (Letter); (Rooijens) (Reply). 2006;43:1315
- Results of percutaneous subintimal angioplasty using routine stenting (Treiman et al). 2006;43:513-19
- Two-year outcome with preferential use of infrainguinal angioplasty for critical ischemia (Haider et al). 2006;43:504-12, 504.e1-e11
- Vascular surgery**
- Clinical competence statement on thoracic endovascular aortic repair (TEVAR)—multispecialty consensus recommendations (SVS/SIR/SCAI/SVMB Writing Committee). 2006;43:858-62
- Continuity of care experience of residents in an academic vascular department: are trainees learning complete surgical care? (Gagnon et al). 2006;43:999-1003
- Current guidelines produce competent endovascular surgeons (Weaver et al). 2006;43:992-8
- Meeting AHA/ACC secondary prevention goals in a vascular surgery practice: an opportunity we cannot afford to miss (Kinikini et al). 2006;43:781-7
- Recommended clinical competencies for initiating a program in endovascular repair of the thoracic aorta (Milner et al). 2006;43:A100-5
- Vascular and endovascular surgeon: the vascular specialist for the 21st century and beyond (Gloviczki). 2006;43:412-21 (Presidential Address)
- Vascular surgical procedures**
- Abdominal aortic aneurysm sac shrinkage after endovascular aneurysm repair: correlation with chronic sac pressure management (Ellozy et al). 2006;43:2-7. Correction 2006;43:647
- Activated coagulation during open and endovascular abdominal aortic aneurysm repair (Englberger et al). 2006;43:1124-9
- Acute renal failure after endovascular vs open repair of abdominal aortic aneurysm (Wald et al); (Hansen) (Commentary). 2006;43:460-6, 460.e1-e9
- Age stratified, perioperative, and one-year mortality after abdominal aortic aneurysm repair: a statewide experience (Rigberg et al). 2006;43:224-9
- Aortic dissection: perspectives in the era of stent-graft repair (Atkins et al). 2006;43:A30-43
- Biomechanical properties of ruptured versus electively repaired abdominal aortic aneurysm wall tissue (Di Martino et al); (Henke) (Commentary). 2006;43:570-6
- Carotid artery aneurysm: evolution of management over two decades (Zhou et al); (Naylor) (Commentary). 2006;43:493-7
- Cold spinoplegia and transvertebral cooling pad reduce spinal cord injury during thoracoabdominal aortic surgery (Isaka et al). 2006;43:1257-63
- Concomitant unilateral internal iliac artery embolization and endovascular infrarenal aortic aneurysm repair (Lee et al). 2006;43:903-7
- Contrast-enhanced Duplex surveillance after endovascular abdominal aortic aneurysm repair: improved efficacy using a continuous infusion technique (Henao et al); (Forbes) (Commentary). 2006;43:259-64
- Current results of open surgical repair of descending thoracic aortic aneurysms (Black and Cambria). 2006;43:A6-11
- A decade of change in abdominal aortic aneurysm repair in the United States: have we improved outcomes equally between men and women? (Dillavou et al); (Lindsay) (Commentary). 2006;43:230-8
- Early outcomes after elective and emergent endovascular repair of the thoracic aorta (Iyer et al). 2006;43:677-83
- Endograft treatment of ruptured abdominal aortic aneurysms using the Talent aortouniiliac system: an international multicenter study (Peppelenbosch et al); (May) (Commentary). 2006;43:1111-23
- Endovascular aneurysm repair with suprarenal vs infrarenal fixation: a study of renal effects (Parmer and Carpenter). 2006;43:19-25, 19.e1-e9
- Endovascular management of hepatic artery pseudoaneurysm hemorrhage complicating pancreaticoduodenectomy (Harvey et al). 2006;43:613-17 (Case rep.)
- Endovascular management of iliac artery occlusions: extending treatment to TransAtlantic Inter-Society Consensus class C and D patients (Leville et al). 2006;43:32-9
- Endovascular management of traumatic ruptures of the thoracic aorta: a retrospective multicenter analysis of 28 cases in The Netherlands (Hoorweg et al); (Krasznai and Blankensteijn) (Commentary). 2006;43:1096-102
- Endovascular repair of a proximal aortic arch aneurysm: a novel approach of supra-aortic debranching with antegrade endograft deployment via an anterior thoracotomy approach (Zhou et al). 2006;43:1045-8 (Case rep.)
- Endovascular repair of proximal endograft collapse after treatment for thoracic aortic disease (Steinbauer et al). 2006;43:609-12 (Case rep.)
- Endovascular treatment of traumatic thoracic aortic injury—should this be the new standard of treatment? (Lin et al). 2006;43:A22-9
- Evolution from axillofemoral to *in situ* prosthetic reconstruction for the treatment of aortic graft infections at a single center (Oderich et al). 2006;43:1166-74
- Factors affecting outcomes of open surgical repair of pararenal aortic aneurysms: a 10-year experience (West et al). 2006;43:921-8, 921.e1-e8
- Glomerular filtration rate is a predictor of mortality after endovascular abdominal aortic aneurysm repair (Azizzadeh et al). 2006;43:14-18
- Improving aneurysm-related outcomes: nationwide benefits of endovascular repair (Dillavou et al). 2006;43:446-52
- Increased psychiatric morbidity after abdominal aortic surgery: risk factors for stress-related disorders (Liberzon et al). 2006;43:929-34
- Lipoplex gene transfer of inducible nitric oxide synthase inhibits the reactive intimal hyperplasia after expanded polytetrafluoroethylene bypass grafting (Pfeiffer et al). 2006;43:1021-7
- Managing proximal arch vessels (Sanchez). 2006;43:A78-80
- Neovascular construction in postthrombotic syndrome (Maletti and Lugli). 2006;43:794-9
- Operative and nonoperative management of children aged 13 years or younger with arterial trauma of the extremities (Lazarides et al); (Dalsing) (Commentary). 2006;43:72-6
- Optimal prediction of mortality after abdominal aortic aneu-

- rysm repair with statistical models (Hadjianastassiou et al). 2006;43:467-73, 467.e1-e10. Correction 2006;43:877
- Outcomes of accessory renal artery occlusion during endovascular aneurysm repair (Karmacharya et al). 2006;43:8-13
- Outcomes of endovascular treatment of ruptured abdominal aortic aneurysms (Greco et al). 2006;43:453-9, 453.e1-e8
- Patient characteristics and physician-determined variables affecting saphenofemoral reflux recurrence after ligation and stripping of the great saphenous vein (Fischer et al). 2006; 43:81-7, 81.e1-e8
- Percutaneous endovascular treatment of acute sequential systemic emboli (Russo et al). 2006;43:388-92 (Case rep.)
- Perioperative β -blocker therapy in vascular surgery: clinical update (Hackam). 2006;43:632-4
- Perioperative myocardial ischemic injury in high-risk vascular surgery patients: incidence and clinical significance in a prospective clinical trial (Mackey et al). 2006;43:533-8
- A personal experience with coronary artery bypass grafting, carotid patching, and other factors influencing the outcome of carotid endarterectomy (Hertzer and Mascha). 2006;43: 959-68, 959.e1-e14
- The posterior approach for repair of popliteal artery aneurysms (Beseth and Moore). 2006;43:940-5
- Preface (Matsumura). 2006;43:A1-2 (Preface)
- Primary Budd-Chiari syndrome: outcome of endovascular management for suprahepatic venous obstruction (Lee et al). 2006;43:101-8
- Reduction in deep vein reflux after concomitant subfascial endoscopic perforating vein surgery and superficial vein ablation in advanced primary chronic venous insufficiency (Ting et al). 2006;43:546-50
- Regarding "Giant splenic artery aneurysms: case report and review of the literature" (Hernández-Lahoz and Garcia-Casas) (Letter); (Pescarus et al) (Reply). 2006;43:641
- Renal venous diversion: an unusual treatment for renal vein thrombosis (Ho et al). 2006;43:1283-6 (Case rep.)
- Screening and ultrasound surveillance of large aortic abdominal aneurysms do not improve suitability for endovascular repair (Thompson et al); (van der Vliet and Blankensteijn) (Commentary). 2006;43:265-9
- Simulator assessment of innate endovascular aptitude versus empirically correct performance (Hislop et al). 2006;43: 47-55
- Starting a program for endovascular thoracic procedures: challenges and solutions (Eskandari). 2006;43:A3-5
- Subclavian artery transposition and bypass techniques for use with endoluminal repair of acute and chronic thoracic aortic pathology (Morasch and Peterson). 2006;43:A73-7
- Successful repair of blunt injury of aortic arch branches in the setting of bovine arch (Al-khaldi and Robbins). 2006;43: 396-8 (Case rep.)
- Surgery of the abdominal aorta and its branches in children: late follow-up (Barral et al). 2006;43:2125-31
- Surgical management of popliteal artery aneurysms: which factors affect outcomes? (Pulli et al). 2006;43:481-7
- Takayasu's arteritis: operative results and influence of disease activity (Fields et al). 2006;43:64-71. Correction 2006;43: 648
- Techniques for large sheath insertion during endovascular thoracic aortic aneurysm repair (Parmer and Carpenter). 2006; 43:A62-8
- Timing of endovascular repair of blunt traumatic thoracic aortic transections (Reed et al). 2006;43:684-8
- Totally percutaneous aortic aneurysm repair: experience and prudence (Starnes et al). 2006;43:270-6
- Trends, complications, and mortality in peripheral vascular surgery (Nowygrod et al). 2006;43:205-16
- The value of motor evoked potentials in reducing paraplegia during thoracoabdominal aneurysm repair (Jacobs et al). 2006;43:239-46
- Visceral vessel relocation techniques (Farber). 2006;43:A81-4
- Vocal cord paralysis after aortic arch surgery: predictors and clinical outcome (Ohta et al). 2006;43:721-8
- Wound healing and functional outcomes after infrainguinal bypass with reversed saphenous vein for critical limb ischemia (Chung et al). 2006;43:1183-91
- Vasoconstrictor agents**
- Analysis of parameters associated with hypotension requiring vasopressor support after carotid angioplasty and stenting (Trocciola et al). 2006;43:714-20
- Vasopressors; see Vasoconstrictor agents**
- Veins**
- Regarding "Improvement in the visualization of superficial arm veins being evaluated for access and bypass" (Planken et al) (Letter); (van Bemmelen et al) (Reply). 2006;43:646
- Vena cava, inferior**
- Percutaneous balloon occlusion of the inferior vena cava as an adjunct for treating ruptured type IV thoracoabdominal aneurysm and aortocaval fistula (Espinel et al). 2006;43: 834-5 (Case rep.)
- Repair of a blunt traumatic inferior vena cava laceration with commercially available endografts (Sam et al). 2006;43: 841-3 (Case rep.)
- Vena cava filters**
- Endovascular treatment of an abdominal aortic pseudoaneurysm as a late complication of an inferior vena cava filter placement (Medina et al). 2006;43:1278-82 (Case rep.)
- Long-duration temporary vena cava filter: a prospective 104-case multicenter study (Bovyn et al). 2006;43:1222-9
- Venous insufficiency**
- Development of reflux in the perforator veins in limbs with primary venous disease (Labropoulos et al). 2006;43: 558-62
- Digital venous photoplethysmography in the seated position is a reproducible noninvasive measure of lower limb venous function in patients with isolated superficial venous reflux (Sam et al). 2006;43:335-41
- Downregulation of desmuslin in primary vein incompetence (Yin et al). 2006;43:372-8
- The effect of ultrasound-guided sclerotherapy of incompetent perforator veins on venous clinical severity and disability scores (Masuda et al); (Walsh) (Commentary). 2006;43: 551-7
- Neovalve construction in postthrombotic syndrome (Maleti and Lugli). 2006;43:794-9
- Outcome of different endovenous laser wavelengths for great saphenous vein ablation (Kabnick). 2006;43:88-93, 88.e1-e7
- Patient characteristics and physician-determined variables affecting saphenofemoral reflux recurrence after ligation and stripping of the great saphenous vein (Fischer et al). 2006; 43:81-7, 81.e1-e8
- Presentation of the patient with recurrent varices after surgery (REVAS) (Perrin et al); (Eklöf) (Commentary). 2006;43: 327-34
- Reduction in deep vein reflux after concomitant subfascial

endoscopic perforating vein surgery and superficial vein ablation in advanced primary chronic venous insufficiency (Ting et al). 2006;43:546-50

Use of microcirculatory parameters to evaluate chronic venous insufficiency (Virgini-Magalhães et al). 2006;43:1037-44

Venous thrombosis

Hemodynamic and morphologic evaluation of sequelae of primary upper extremity deep venous thromboses treated with anticoagulation (Persson et al); (Walsh) (Commentary). 2006;43:2202-8

Long-term thrombotic recurrence after nonoperative management of Paget-Schroetter syndrome (Lee et al). 2006;43:2209-16

Monocyte recruitment in venous thrombus resolution (Ali et al). 2006;43:601-8

Neovalve construction in postthrombotic syndrome (Maletti and Lugli). 2006;43:794-9

Renal venous diversion: an unusual treatment for renal vein thrombosis (Ho et al). 2006;43:1283-6 (Case rep.)

Soft tissue sarcomas may present with deep vein thrombosis (Benms et al). 2006;43:788-93

Technique of contemporary iliofemoral and infrainguinal venous thrombectomy (Comerota and Gale). 2006;43:185-91 (Tech. Note). Correction 2006;43:874-7

Vertebral artery

Stenting of vertebrobasilar arteries in symptomatic atherosclerotic disease and acute occlusion: case series and review of the literature (Eberhardt et al). 2006;43:1145-54

Viscera

Complex thoracoabdominal aortic aneurysms: endovascular exclusion with visceral revascularization (Black et al); (Quinones-Baldrich) (Commentary). 2006;43:1081-8

Visceral vessel relocation techniques (Farber). 2006;43:A81-4

Vocal cord paralysis

Vocal cord paralysis after aortic arch surgery: predictors and clinical outcome (Ohta et al). 2006;43:721-8

W

Women's health services

Cost-effectiveness of screening women for abdominal aortic aneurysm (Wanhainen et al); (Kent) (Commentary). 2006;43:908-14

Wound healing

The bone marrow-derived endothelial progenitor cell response is impaired in delayed wound healing from ischemia (Bauer et al). 2006;43:134-41

Efficacy of topical pale sulfonated shale oil in the treatment of venous leg ulcers: a randomized, controlled, multicenter study (Beckert et al). 2006;43:94-100

Wound healing and functional outcomes after infrainguinal bypass with reversed saphenous vein for critical limb ischemia (Chung et al). 2006;43:2162

Wounds, nonpenetrating

Endovascular treatment of traumatic thoracic aortic injury—should this be the new standard of treatment? (Lin et al). 2006;43:A22-9

Repair of a blunt traumatic inferior vena cava laceration with commercially available endografts (Sam et al). 2006;43:841-3 (Case rep.)

Successful repair of blunt injury of aortic arch branches in the setting of bovine arch (Al-khaldi and Robbins). 2006;43:396-8 (Case rep.)

Timing of endovascular repair of blunt traumatic thoracic aortic transections (Reed et al). 2006;43:684-8

Wounds, penetrating

The nonoperative management of penetrating internal jugular vein injury (Inaba et al). 2006;43:77-80

Wounds and injuries

Experimental pulmonary embolism: effects of the thrombus and attenuation of pulmonary artery injury by low-molecular-weight heparin (Rectenwald et al). 2006;43:800-8